



PYRAMEX

Perform At Your Peak



Safety Solutions Catalog

Carhartt®

Eyewear

Billings® 17

Carbondale® 12

Carthage® 11

Cayce™ 15

Easley™ 15

Ironside® 13

Rockwood® 14

Spokane® 17

Toccoa™ 11

Displays 18

Packaging 19

Venture Gear® Tactical

Eyewear

Drone® 23

Howitzer™ 21

Loadout™ 21

Overwatch® 22

Semtex 2.0™ 23

Stonewall® 22

Venture Gear®

Eyewear

Atwater™ 31

Brevard® 26

Drop Zone® 33

Monteagle® 32

Pagosa® 27

Tensaw® 28

Vallejo® 25

Waverton 30

Zumbro® 31

Displays 37

Packaging 37

Hearing

Clandestine 35

Ever-Lite® Range Kit 36

Sentinel 35

VG10 Series 34

VG80 Series 34

VG90 Series 34

VG90 Youth Series 34

VGBH90 Series 34

Ducks Unlimited®

Eyewear

DUCAB and DUCLAM1 39

DUCAB2 and DUCLAM2 40

Shooting Eyewear 39

Packaging 41

Hearing

DU80 Series 40

Shooting Kits 41

Pyramex® Retail

Eyewear

Chemical Goggle 42

Intrepid II® 42

Intruder® 42

Low Profile Chemical
 Splash Goggle 42

Onix® 42

Perforated Goggle 42

PYS25 Combo Kits 43

Solo® 42

V2G® 42

Venture 3® 42

Headgear

Face Shield 43

Headgear 43

N95 Respirators 43

Hearing

Dielectric Earmuff 43

Disposable Uncorded
 Earplugs 43

Reusable Corded
 Earplugs 43

Hi-vis Work Wear

RV1 Series 43

Headgear

Adapters 54

Baseball Bump Caps 53

Face Shields 56

Forestry Kits 59

Headlamp 53

N95 Respirators 61

New Hire Kits 58

Reflective Hard Hat
 Stickers 53

Ridgeline® Bump Caps 50

Ridgeline Cap Style 49

Ridgeline Full Brim 50

Ridgeline Headgear 55

Ridgeline Hydro Dipped 48

SL Series Cap Style 51

SL Series Full Brim 52

SL Series Sleek Shell 52

Eyewear

Accurist® 73

Achieva® 95

Alair® 99

Atoka® 99

Avanté® 88

Azera™ 77

Cappture® 101

Capstone® 500 Series .. 109

Capstone 600 Series 109

Capstone Dual 108

Capstone RL 108

Capstone Shield 107

Cortez® 98

Defiant® 101

Emerge® 103

Emerge Plus 102

Endeavor® Plus 92

Ever-Lite® 80

Exeter® 76

Fastrac® 99

Flex-Zone™ 89

Fortress® 90

Forum® 83

Furix® 78

Fyxate™ 67

Eyewear Cont.

Goggles 110

Goliath® 74

Gravex® 91

GT 2000® 99

Highlander™ 69

Highlander Plus 69

I-Force® 68

I-Force Slim 68

Integra® 89

Intrepid II® 95

Intruder® 96

Intruder and Mini Intruder
 Multi-Colors 96

Intruder Readers 104

Integra® 89

Ionix® 81

Isotope™ 66

Itek® 94

Legacy® 99

Mayan® 91

Mini Intruder 96

Mini Ztek 97

Neshoba™ 99

Onix® 85

Onix Plus 85

OTS® 100

OTS XL 100

Outlander® 75

Pacifica® 91

Pathfinder™ 79

PMXCEL® 72

PMXSLIM® 94

PMXTORQ® 91

PMXTREME® 86

PMXTREME LED 87

PMXTREME LED
 Readers 103

PMXTREME Readers 103

PMXTREME Rx 86

Provoq® 94

Proximity® 73

Reatta® 90

Rendezvous® 82

Sitecore™ 81

Solara® 77

Solo® 101

Surveyor® 99

Torser™ 67

Trifecta® 75

TruLock® 93

TruLock Multi-Colors 93

V2-Metal® 91

V2G® 70

V2G Readers 105

V2G-Plus® 106

V3G® 71

V3T™ 71

Venture II® 83

Venture II Readers 105

Venture 3® 84

XS3® Plus 72

XSG® 72

XSG Kit 72

XSG Readers 105

Zone® 79

Zone II® 79

Ztek® 97

Ztek Readers 104

Accessories 112

Displays 115

Welding

Auto-darkening Helmets .. 119

IR Eyewear 121

IR Face Shields 121

Passive Goggles 120

Passive Helmet 120

Hearing

Banded Earplugs 130

Corded Earplugs 129

Earmuffs 126

Electronic Earmuffs 127

Metal Detectable
 Earplugs 128

Push-in Earplugs 131

Uncorded Earplugs 131

Accessories 131

Hi-vis Work Wear

Canadian 138

Class 2 134

Class 3 140

Non-rated 144

Self-extinguishing 136

Gloves

Crinkle Latex 148

Micro-Foam Nitrile 149

[PU] Polyurethane 148

Sandy Nitrile 149

Synthetic Leather 150

Accessories 151

Cooling

Bandanas 154

Hard Hat Pad 155

Neck Shade 155

Skull Caps 154

Towels 154

Ergonomics

Back Support 158

Elbow Sleeve 159

Knee Pads 161

Knee Sleeve 159

Wrist Wrap 159



Table Of
CONTENTS



Proven PERFORMANCE

Our success is rooted in the belief that our customers are hard-working people all around the world. That's what drives us at Pyramex. We're constantly advancing our product line and exceeding the highest industry safety standards through research, design and, most importantly, your input. Pyramex is proud to be recognized as a company that is flexible and easy to do business with. We build our business on long term relationships at the customer level as well as the supplier (vendor) level. When you work with us, you will always have human interactions – no automated system. This is just part of who we are. We only succeed when you succeed. This work ethic has made us a market leader with distribution in more than 60 countries. Try on a Pyramex product and you will see and feel the difference. ***PERFORM AT YOUR PEAK.***

HOW TO ORDER

Pyramex products are available for sale through authorized distributors. When you call in, you'll always talk to a safety expert, ready to serve your business and meet your needs.

☎ phone: 800.736.8673 or fax: 877.797.2639

✉ help@pyramexsafety.com

📍 281 Moore Lane, Collierville, TN 38017

New and NOTEWORTHY

carhartt



Toccoa™
For more information, see page 11.



Easley™
For more information, see page 15.



Cayce™
For more information, see page 15.

VENTUREGEAR
TACTICAL



Loadout™
For more information, see page 21.



Howitzer™
For more information, see page 21.



Semtex 2.0™
For more information, see page 23.

VENTUREGEAR



Monteagle™
For more information, see page 32.



VG10 Series
Dielectric Earmuff
For more information, see page 34.



VGBH90 Series
Behind the Head Earmuff
For more information, see page 34.



Sentinel
Electronic Earmuff
For more information, see page 35.

Headgear



Ridgeline Hydro Dipped
Matte White Graphite Pattern
For more information, see page 48.



Ridgeline Hydro Dipped
Shiny White Graphite Pattern
For more information, see page 48.



Ridgeline Hydro Dipped
Shiny Black Graphite Pattern
For more information, see page 48.



Ridgeline Hydro Dipped
Matte Realtree® Camo Pattern
For more information, see page 48.



Note: Ridgeline® Hydro Dipped Hard Hats are available in cap style, cap style vented, and full brim.

Eyewear



Fyxate™
For more information, see page 67.



Torser™
For more information, see page 67.



V3T™
For more information, see page 71.



Sitecore™
For more information, see page 81.



Endeavor® Plus with Foam Padding
For more information, see page 92.



Capture™
For more information, see page 101.

PYRAMEX

Hearing



BH90 Series
Behind the Head Earmuff
For more information, see page 126.



BP3000 Series
Conical Banded Earplugs
For more information, see page 130.



DPD1001MS Series
Metal Detectable Disposable
Corded Earplugs
For more information, see page 128.



Sentinel
Electronic Earmuff
For more information, see page 127.

Hi-vis Work Wear



RVZ28 Series
For more information, see page 135.



RVZ34 Series
For more information, see page 141.



RVZ44B Series
For more information, see page 135.



RJR33 Series
For more information, see page 142.



RJR34 Series
For more information, see page 143.

Gloves



Poly-Torq™ Series
PU (Polyurethane) Gloves
For more information, see page 148.



ArchonX™ Series
Crinkle Latex Gloves
For more information, see page 148.



CorXcel™ Series
Micro-Foam Nitrile Gloves
For more information, see page 149.



CorXcel™ Series
Sandy Nitrile Gloves
For more information, see page 149.

Cooling



C330 Series
Moisture-wicking Cooling Towel
For more information, see page 154.



CSKT2 Series
Moisture-wicking Skull Cap
with Ties
For more information, see page 154.



HPSHADE Series
Hard Hat Brim with Neck Shade
For more information, see page 155.

Designed for the Active Lifestyle.

carhartt

DUCKS UNLIMITED

VENTUREGEAR

VENTUREGEAR
TACTICAL

RETAIL SOLUTIONS



Carhartt has a long history of providing honest workers with honest products. They know their consumers don't just "do" their job. They live it. They don't just work. They outwork. They never stop moving. Carhartt is known for making durable and long-lasting products that provide the dependability hard workers require. **OUTWORK THEM ALL.**

Carthage®

Indirect vented foam padded carriage

Interchangeable temples/strap are included

Available in a Carhartt polybag



CHB410DTP •• (polybag)
Clear Anti-fog Lens with
Black and Tan Frame



CHB418DTP •• (polybag)
Sandstone Bronze Anti-fog Lens
with Black and Tan Frame



CHB420DTP •• (polybag)
Gray Anti-fog Lens with
Black and Tan Frame



CHRT410DTP •• (polybag)
Clear Anti-fog Lens with
Realtree Xtra® Camo Frame



CHRT420DTP •• (polybag)
Gray Anti-fog Lens with
Realtree Xtra® Camo Frame



Toccoa™

Clip-on foam padded carriage

Slim temple design with detachable strap

Available in a Carhartt polybag



CHB1010DTMP •• (polybag)
Clear H2MAX Anti-fog Lens with
Black and Tan Frame



CHB1018DTMP •• (polybag)
Sandstone Bronze H2MAX Anti-fog
Lens with Black and Tan Frame



CHB1020DTMP •• (polybag)
Gray H2MAX Anti-fog Lens with
Black and Tan Frame



CHRT1010DTMP •• (polybag)
Clear H2MAX Anti-fog Lens with
Realtree Xtra® Camo Frame



CHRT1020DTMP •• (polybag)
Gray H2MAX Anti-fog Lens with
Realtree Xtra® Camo Frame





Carbondale®

Flexible rubber nosepiece
Co-injected temples
Available in a Carhartt capture clam or polybag



- CHB210DCC •• (capture clam)**
Clear Lens with
Black and Tan Frame

CHB210D •• (polybag)
Clear Lens with
Black and Tan Frame
- CHB218DCC •• (capture clam)**
Sandstone Bronze Lens with
Black and Tan Frame

CHB218D •• (polybag)
Sandstone Bronze Lens with
Black and Tan Frame



- CHB218DCC •• (capture clam)**
Sandstone Bronze Lens with
Black and Tan Frame

CHB218D •• (polybag)
Sandstone Bronze Lens with
Black and Tan Frame
- CHB220DCC •• (capture clam)**
Gray Lens with
Black and Tan Frame

CHB220D •• (polybag)
Gray Lens with
Black and Tan Frame



- CHB220DT •• (polybag)**
Gray Anti-fog Lens with
Black and Tan Frame

CHB290DCC •• (capture clam)
Antique Mirror Lens with
Black and Tan Frame

CHB290D •• (polybag)
Antique Mirror Lens with
Black and Tan Frame



- CHRT218DCC •• (capture clam)**
Sandstone Bronze Lens with
Realtree Xtra® Camo Frame
- CHRT218D •• (polybag)**
Sandstone Bronze Lens with
Realtree Xtra® Camo Frame



- CHRT220DCC •• (capture clam)**
Gray Lens with Realtree Xtra® Camo Frame
- CHRT220D •• (polybag)**
Gray Lens with Realtree Xtra® Camo Frame



- CHRT290DCC •• (capture clam)**
Antique Mirror Lens with Realtree Xtra® Camo Frame
- CHRT290D •• (polybag)**
Antique Mirror Lens with Realtree Xtra® Camo Frame



Ironsides®

Straight-back vented, flexible temples
Rubber nosepiece and temple tips
Available in a Carhartt capture clam or polybag



- CHB618DTCC •• (capture clam)**
Sandstone Bronze Anti-fog Lens
with Black and Tan Frame
- CHB618DT •• (polybag)**
Sandstone Bronze Anti-fog Lens
with Black and Tan Frame



- CHB620DTCC •• (capture clam)**
Gray Anti-fog Lens with
Black and Tan Frame
- CHB620DT •• (polybag)**
Gray Anti-fog Lens with
Black and Tan Frame



- CHB690DTCC •• (capture clam)**
Antique Mirror Anti-fog Lens
with Black and Tan Frame
- CHB690DT •• (polybag)**
Antique Mirror Anti-fog Lens
with Black and Tan Frame



- CHRT618DTCC •• (capture clam)**
Sandstone Bronze Anti-fog Lens
with Realtree Xtra® Camo Frame
- CHRT618DT •• (polybag)**
Sandstone Bronze Anti-fog Lens
with Realtree Xtra® Camo Frame



- CHRT620DTCC •• (capture clam)**
Gray Anti-fog Lens with
Realtree Xtra® Camo Frame
- CHRT620DT •• (polybag)**
Gray Anti-fog Lens with
Realtree Xtra® Camo Frame



- CHRT690DTCC •• (capture clam)**
Antique Mirror Anti-fog Lens with
Realtree Xtra® Camo Frame
- CHRT690DT •• (polybag)**
Antique Mirror Anti-fog Lens with
Realtree Xtra® Camo Frame





Easley™

- Built-in browguard
- Adjustable nosepiece
- Ventilated temples
- Available in a Carhartt polybag



CHB810ST •• (polybag)
Clear Anti-fog Lens with Black and Tan Frame



CHB818ST •• (polybag)
Sandstone Bronze Anti-fog Lens with Black and Tan Frame



CHB820ST •• (polybag)
Gray Anti-fog Lens with Black and Tan Frame

Rockwood®

- Suspended anti-fog lens
- Adjustable rubber nosepiece and co-injected temple tips
- Available in a Carhartt capture clam or polybag



CHB710DT •• (polybag)
Clear Anti-fog Lens with Black and Tan Frame



CHB718DTCC •• (capture clam)
Sandstone Bronze Anti-fog Lens with Black and Tan Frame

CHB718DT •• (polybag)
Sandstone Bronze Anti-fog Lens with Black and Tan Frame



CHB720DTCC •• (capture clam)
Gray Anti-fog Lens with Black and Tan Frame

CHB720DT •• (polybag)
Gray Anti-fog Lens with Black and Tan Frame

Cayce™

- Adjustable rubber nosepiece
- Slim temple design
- Wraparound coverage for superior protection
- Available in a Carhartt polybag



CHB910ST •• (polybag)
Clear Anti-fog Lens with Black Frame



CHB918ST •• (polybag)
Sandstone Bronze Lens with Black Frame



CHB920ST •• (polybag)
Gray Anti-fog Lens with Black Frame



Spokane®

- Flexible rubber nosepiece
- Co-injected straight-back temples
- Unique half-frame design for the active lifestyle
- Available in a Carhartt capture clam or polybag



CHB310DCC •• (capture clam)
Clear Lens with Black Frame

CHB310D •• (polybag)
Clear Lens with Black Frame



CHB318DCC •• (capture clam)
Sandstone Bronze Lens with Black Frame

CHB318D •• (polybag)
Sandstone Bronze Lens with Black Frame



CHB320DCC •• (capture clam)
Gray Lens with Black Frame

CHB320D •• (polybag)
Gray Lens with Black Frame

Billings®

- Lightweight, frameless design
- Wraparound coverage for superior protection
- Available in a Carhartt clamshell or polybag



CH110S •• (polybag)
Clear Lens with Clear Temples



CH110STCS •• (clamshell)
Clear Anti-fog Lens with Clear Temples

CH110ST •• (polybag)
Clear Anti-fog Lens with Clear Temples



CH118S •• (polybag)
Sandstone Bronze Lens with Sandstone Bronze Temples



CH120S •• (polybag)
Gray Lens with Gray Temples



CH120STCS •• (clamshell)
Gray Anti-fog Lens with Gray Temples

CH120ST •• (polybag)
Gray Anti-fog Lens with Gray Temples

Displays



CHBD144
Carhartt Unit Bulk Display - holds up to 144 units
(product sold separately)



CHCSD24
Carhartt Unit Countertop Spinner Display - holds up to 24 units
(product sold separately)



CHIC6
Carhartt Stationary Display - holds up to 6 units
(product sold separately)

Packaging

Carhartt products come packaged in either a branded clamshell, capture clam, or polybag.



Clamshell



Capture Clam



Polybag for Display Box



CHDIH
Carhartt Display Polybag Hook - holds up to 6 polybags
(product sold separately)
Hangs on CHSWD20 and CHCSD24 to merchandise polybags rather than capture clams or clamshells



CHSWD20
Carhartt Slat Wall Display - holds up to 20 units
(product sold separately)



On the front lines, on patrol, or on the range, Venture Gear Tactical protects your eyes so you can accomplish your objective. All Venture Gear Tactical eyewear is built with the highest quality materials and pass Ballistic High Velocity Impact standards [MIL-PRF-32432], providing you with premium quality and protection. You can trust that your eyes are protected from even the harshest conditions when you choose Venture Gear Tactical. **ACCOMPLISH YOUR OBJECTIVE.**

All safety eyewear meets ANSI Z87.1+ standards (•) and provides 99% protection from harmful UV rays. All lenses are hard coated polycarbonate scratch-resistant. Some options meet Canadian CSA Z94.3 (•) – SEI third-party certification or Ballistic MIL-PRF-32432 High Velocity Impact (•) standards. For specific lens options visit our website or contact your sales representative.



Loadout™

Vented frame helps fight fogging while filtering dust and small particles

Foam padded for added protection and comfort

Integrated sleeve protects lens when not in use

Passes D3: Droplet and Splash Test – provides protection from droplets and splashes

Passes D4: Dust Test – provides protection from dust particles

Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

Includes canvas storage case with MOLLE compatible snap straps

VGGB1510STM ••• (box)

Clear H2MAX Anti-fog Lens with Black Body



Howitzer™

Custom-fit rubber nosepiece

Non-slip, flexible, co-injected temples

Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

Includes microfiber cleaning bag



VGSB1310T ••• (clamshell)
Clear Anti-fog Lens with
Black Frame



VGSB1318T ••• (clamshell)
Bronze Anti-fog Lens with
Black Frame



VGSB1322T ••• (clamshell)
Forest Gray Anti-fog Lens with
Black Frame



VGST1310T ••• (clamshell)
Clear Anti-fog Lens with
Tan Frame



VGST1318T ••• (clamshell)
Bronze Anti-fog Lens with
Tan Frame



VGST1322T ••• (clamshell)
Forest Gray Anti-fog Lens with
Tan Frame





Overwatch®

Soft nosepiece and rubber temple tips

Passes Ballistic MIL-PRF-32432 High Velocity
Impact standards



VGSB718T ••• (box)
Bronze Anti-fog Lens with
Black Frame



VGSB722T ••• (box)
Forest Gray Anti-fog Lens with
Black Frame



VGSB718T ••• (box)
Bronze Anti-fog Lens with
OD Green Frame



VGSB722T ••• (box)
Forest Gray Anti-fog Lens with
OD Green Frame

Semtex 2.0™

Adjustable custom-fit rubber nosepiece

Non-slip, flexible, co-injected temples

Passes Ballistic MIL-PRF-32432 High Velocity
Impact standards

Includes microfiber cleaning bag



VGSGM1410T ••• (clamshell)
Clear Anti-fog Lens with
Gun Metal Frame



VGSGM1418T ••• (clamshell)
Bronze Anti-fog Lens with
Gun Metal Frame



VGSGM1422T ••• (clamshell)
Forest Gray Anti-fog Lens with
Gun Metal Frame



VGST1410T ••• (clamshell)
Clear Anti-fog Lens with Tan Frame



VGST1418T ••• (clamshell)
Bronze Anti-fog Lens with
Tan Frame



VGST1422T ••• (clamshell)
Forest Gray Anti-fog Lens with
Tan Frame

Stonewall®

Built-in rubber nosepiece

Durable, flexible nylon frame and straight-back temples

Passes Ballistic MIL-PRF-32432 High Velocity
Impact standards



VGSB418T ••• (box)
Bronze Anti-fog Lens with Black Frame



VGSB422T ••• (box)
Forest Gray Anti-fog Lens with Black Frame



VGSB465T ••• (box)
Ice Blue Mirror Anti-fog Lens with Black Frame

Drone®

Adjustable rubber nosepiece

Non-slip, flexible, co-injected temples

Passes Ballistic MIL-PRF-32432 High Velocity
Impact standards



VGSB8310ST ••• (box)
Clear Anti-fog Lens with Black Frame



VGSB8320ST ••• (box)
Gray Anti-fog Lens with Black Frame

! Note: For more information
on packaging, see page 37.

All safety eyewear meets ANSI Z87.1+ standards (•) and provides 99% protection from harmful UV rays. All lenses are hard coated polycarbonate scratch-resistant. Some options meet Canadian CSA Z94.3 (•) – SEI third-party certification or Ballistic MIL-PRF-32432 High Velocity Impact (•) standards. For specific lens options visit our website or contact your sales representative.



Venture Gear products are designed for those with an active lifestyle. Whether that means recreational bike riding, building a tree house in the backyard, or working on the jobsite. Venture Gear products are designed to outperform at every level of activity—all while going above and beyond your expectations. **DARE TO GO.**



Vallejo®

Built-in rubber nosepiece

Vented frame increases airflow to prevent fogging

Polarized options available



VGSB922T •• (box)
Forest Gray Anti-fog Lens with Black Frame



VGSB931 •• (box)
Polarized Green Mirror Lens with Black Frame



VGSB965T •• (box)
Ice Blue Mirror Anti-fog Lens with Black Frame



VGSC965T •• (box)
Ice Blue Mirror Anti-fog Lens with Clear Frame



VGST918T •• (box)
Bronze Anti-fog Lens with Tortoise Frame



VGSW922T •• (box)
Forest Gray Anti-fog Lens with White Frame



VGSW931 •• (box)
Polarized Green Mirror Lens with White Frame



VGSW965T •• (box)
Ice Blue Mirror Anti-fog Lens with White Frame



Brevard®

Full wraparound lens provides excellent impact protection

Vented foam padded frame provides superior comfort with great airflow



VGSB1010DTB •• (polybag)
Clear Anti-fog Lens with Shiny Black Frame



VGSB1026DTB •• (polybag)
Forest Gray Anti-fog Lens with Shiny Black Frame



VGSB1057DTB •• (polybag)
Green Mirror Anti-fog Lens with Shiny Black Frame



VGSCM1010DTB •• (polybag)
Clear Anti-fog Lens with Camo Frame



VGSCM1018DTB •• (polybag)
Bronze Anti-fog Lens with Camo Frame



VGSCM1026DTB •• (polybag)
Forest Gray Anti-fog Lens with Camo Frame



Pagosa®

Wide straight-back temples

Soft rubber nosepiece

Polarized options available



VGSB518T • (box)
Bronze Anti-fog Lens with Black Frame



VGSB522T • (box)
Forest Gray Anti-fog Lens with Black Frame

VGSB523 • (box)
Polarized Forest Gray Lens with Black Frame



VGSB565T • (box)
Ice Blue Mirror Anti-fog Lens with Black Frame



VGSB570T • (box)
Silver Mirror Anti-fog Lens with Black Frame



VGSW518T • (box)
Bronze Anti-fog Lens with White Frame



VGSW522T • (box)
Forest Gray Anti-fog Lens with White Frame



VGSW561 • (box)
Polarized Ice Blue Mirror Lens with White Frame



VGSW565T • (box)
Ice Blue Mirror Anti-fog Lens with White Frame

Tensaw®

- Adjustable rubber nosepiece
- Co-injected temples for snug, secure fit
- Half-frame high performance eyewear
- Polarized options available



VGSB310T • (box)
Clear Anti-fog Lens with Black and Gray Frame



VGSB318T • (box)
Bronze Anti-fog Lens with Black and Gray Frame



VGSB322T • (box)
Forest Gray Anti-fog Lens with Black and Gray Frame



VGSB323 • (box)
Polarized Forest Gray Lens with Black and Gray Frame



VGSB327T • (box)
Vermilion Anti-fog Lens with Black and Gray Frame



VGSB330T • (box)
Yellow Anti-fog Lens with Black and Gray Frame



VGSB331 • (box)
Polarized Green Mirror Lens with Black and Gray Frame



VGSB365T • (box)
Ice Blue Mirror Anti-fog Lens with Black and Gray Frame



VGSB370T • (box)
Silver Mirror Anti-fog Lens with Black and Gray Frame



VGSW365T • (box)
Ice Blue Mirror Anti-fog Lens with White and Gray Frame



VGSWB365T • (box)
Ice Blue Mirror Anti-fog Lens with White and Blue Frame



VGSWR351 • (box)
Polarized Sky Red Mirror Lens with White and Red Frame

VGSWR355T • (box)
Sky Red Mirror Anti-fog Lens with White and Red Frame





Atwater™

Soft, rubber nosepiece

Wide straightback temples



VGSB1226TB •• (polybag)
Forest Gray H2X Anti-fog Lens with Black Frame



VGSB1265TB •• (polybag)
Ice Blue Mirror Anti-fog Lens with Black Frame



VGSSB1226TB •• (polybag)
Forest Gray H2X Anti-fog Lens with Black and Silver Frame



VGSSB1265TB •• (polybag)
Ice Blue Mirror Anti-fog Lens with Black and Silver Frame

Waverton

Flexible rubber nosepiece

Co-injected straight-back temples



VGSB1126DB • (polybag)
Forest Gray Lens with Black Frame



VGSB1165DB • (polybag)
Ice Blue Mirror Lens with Black Frame



VGSB1170DB • (polybag)
Silver Mirror Lens with Black Frame



VGSBR1118DB • (polybag)
Bronze Lens with Brown Frame



VGSBR1156DB • (polybag)
Multi-color Mirror Lens with Brown Frame

Zumbro®

Soft, rubber nosepiece

Slim temple design includes soft rubber tips



VGSBR210T • (box)
Clear Anti-fog Lens with Bronze Frame



VGSBR218T • (box)
Bronze Anti-fog Lens with Bronze Frame



VGSBR222T • (box)
Forest Gray Anti-fog Lens with Bronze Frame



VGSBR227T • (box)
Vermilion Anti-fog Lens with Bronze Frame



VGSBR230T • (box)
Yellow Anti-fog Lens with Bronze Frame



Monteagle™

Adjustable rubber nosepiece

Co-injected temples for snug, secure fit



VGSC1620T • (polybag)
Gray Anti-fog Lens with
Clear and Blue Frame



VGSC1665T • (polybag)
Ice Blue Mirror Anti-fog Lens with
Clear and Blue Frame



VGSGM1618T • (polybag)
Bronze Anti-fog Lens with
Gun Metal and Black Frame



VGSGM1620T • (polybag)
Gray Anti-fog Lens with
Gun Metal and Black Frame



VGSGM1622T • (polybag)
Forest Gray Anti-fog Lens with
Gun Metal and Black Frame



VGSGM1665T • (polybag)
Ice Blue Mirror Anti-fog Lens with
Gun Metal and Black Frame



VGSGMV1620T • (polybag)
Gray Anti-fog Lens with
Gun Metal and Hi-vis Yellow Frame



VGSGMV1657T • (polybag)
Ice Blue Mirror Anti-fog Lens with
Gun Metal and Hi-vis Yellow Frame



Drop Zone®

Stylish contoured temples

High brow coverage

Rubber nosepiece


Easy to change replacement lenses

Passes Ballistic MIL-PRF-32432 High
Velocity Impact standards

Includes: removable temples,
crush-resistant neoprene storage
case, microfiber cleaning cloth, and
four interchangeable lenses

VGSB88KIT • (clamshell)

Clear H2X Anti-fog Lens, Forest Gray H2X Anti-fog
Lens, Orange H2X Anti-fog Lens and Vermilion
H2X Anti-fog Lens with Black Temples



VG80 Series

NRR 36dB when worn with earplugs

Low-profile ear cup design

Height adjustment to fit all sizes

Fold-away, padded headband

Earmuffs (NRR 26dB) are packaged in a clamshell with free disposable earplugs (NRR 32dB)



VGPM8015C • (clamshell)
Black Graphite Pattern Ear Cup
with Black Headband



VGPM8031C • (clamshell)
Hi-Vis Lime Ear Cup with
Black Headband



VGPM8010C • (clamshell)
Gray Ear Cup with Black Headband



VGPM8010PC • (clamshell)
Pink Ear Cup with Black Headband



VGPM8063C • (clamshell)
Teal Ear Cup with Black Headband



VGPM8065C • (clamshell)
Purple Ear Cup with
Black Headband



VGPM9010C • (clamshell)
Gray Ear Cup with Black Headband



VGPM9010PC • (clamshell)
Pink Ear Cup with Black Headband

VG90 Series

NRR 34dB when worn with earplugs

Low-profile ear cup design

Height adjustment to fit all sizes

Fold-away, padded headband

Earmuffs (NRR 22dB) are packaged in a clamshell with free disposable earplugs (NRR 32dB)



VG90 Youth Series

NRR 19dB

Low-profile ear cup design

Designed for a slimmer fit

Fold-away, padded headband

VGPM9011C • (clamshell)
Blue Ear Cup with Black Headband



VG10 Series

NRR 25dB

Dielectric

Soft padded ear cups

Rotatable nylon headband

VGPM1010C • (clamshell)
Navy and Hi-vis Green Ear Cup with
Black Headband



VGBH90 Series

NRR 22dB

Behind the head earmuffs

Adjustable and durable neckband

Earcups tilt for optimum comfort
and efficiency

VGBH9010C • (capture clam)
Gray and Hi-vis Green Ear Cup with
Black Neckband

Clandestine

NRR 24dB

Electronic earmuff

Slim profile ear cups

Height adjustment to fit all sizes

Fold-away, padded headband

Omni directional microphone

Amplifies hearing, while suppressing
harmful sounds and reducing them to
a safe level

External access for easy battery
replacement (2 AAA batteries are included)



VGPM10 • (capture clam)
Black Ear Cup with Black Headband



VGPM17 • (capture clam)
Black Graphite Pattern Ear Cup with
Black Headband



Sentinel

NRR 26dB

Electronic earmuff

Slim profile ear cups

Height adjustment to fit all sizes

Fold-away, padded headband

Front facing microphone

Amplifies hearing, while suppressing
harmful sounds and reducing them to
a safe level

Auto shut-off after four hours

3.5 mm AUX jack for use of MP3 and
mobile devices



VGPM20 • (clamshell)
Black Ear Cup with Black Headband



VGPM26 • (clamshell)
Powder Blue Ear Cup with Black and
Powder Blue Headband





Ever-Lite® Range Kit

Eyewear meets ANSI Z87.1+, CE EN166 and CSA Z94.3 standards. All lenses are hard coated polycarbonate scratch-resistant and provide 99% protection from harmful UV rays. Earmuffs meet ANSI S3.19 standards.

Earmuff:

NRR 26dB

Low-profile ear cup design

Height adjustment to fit all sizes

Fold-away, padded headband

Eyewear:

Soft nosepiece for snug fit

Lightweight spectacle – 22 gm



VGCOMB08630 (clamshell)
Amber Lens with Black Frame
Gray Ear Cup with Black Headband



VGCOMB08610 (clamshell)
Clear Lens with Black Frame
Gray Ear Cup with Black Headband



VGCOMB08617 (clamshell)
Pink Lens with Black Frame
Pink Ear Cup with Black Headband



Displays

Hardware included to mount display to slatwall, pegboard or gridwall.

VGDIS9

Venture Gear Stationary Display - holds up to 9 units (product sold separately)

VGDIS16

Venture Gear Stationary Display - holds up to 16 units (product sold separately)

Packaging

Venture Gear and Venture Gear Tactical products come packaged in either a branded clamshell, capture clam, box or polybag.





For years, Ducks Unlimited has been one of the most respected private waterfowl and wetlands conservation organizations, raising over \$1.7 billion for conservation efforts since its inception. Ducks Unlimited applies that same level of dedication to their line of products and accessories. Whether you're hunting or simply out in the habitat, you can trust Ducks Unlimited has you covered. **PROTECT OUR LAND.**



Shooting Eyewear

Adjustable rubber nosepiece

Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

Includes microfiber storage bag



DUSB6610D •• [clamshell]
Clear Lens with
OD Green Frame



DUSB6627D •• [clamshell]
Vermilion Lens with
OD Green Frame



DUSB6628D •• [clamshell]
Forest Gray Lens with
OD Green Frame



DUSB6640D •• [clamshell]
Orange Lens with
OD Green Frame

DUCAB and DUCLAM1

Ventilated, adjustable nosepiece

Temples adjust to four different lengths

Ratcheting lens pitch adjustment

Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

Includes: Realtree Advantage® MAX-4HD™ neoprene case with DU logo, microfiber cleaning bag with DU logo, camo breakaway cord, and five interchangeable anti-fog lenses

DUCLAM1 •• [clamshell]

Clear H2X Anti-fog Lens, Amber H2X Anti-fog Lens, Sun Block Bronze H2X Anti-fog Lens, Orange H2X Anti-fog Lens and Vermilion H2X Anti-fog Lens with Black Frame

DUCAB •• [box]

Clear H2X Anti-fog Lens, Amber H2X Anti-fog Lens, Sun Block Bronze H2X Anti-fog Lens, Orange H2X Anti-fog Lens and Vermilion H2X Anti-fog Lens with Black Frame





DUCAB2 and DUCLAM2

Soft nosepiece for snug fit

Semi-frame and slim co-injected temple design for lightweight spectacle – 22 gm

Offers a clear panoramic view without obstruction

Includes: neoprene case with DU logo, microfiber cleaning bag with DU logo, and four interchangeable lenses

DUCLAM2 •• (clamshell)

Clear Lens, Forest Gray Lens, Amber Lens and Vermilion Lens with Black Frame

DUCAB2 •• (box)

Clear Lens, Forest Gray Lens, Amber Lens and Vermilion Lens with Black Frame

Shooting Kits

Eyewear meets ANSI Z87.1+ and Canadian (CSA Z94.3) standards. All lenses are hard coated polycarbonate scratch-resistant and provide 99% protection from harmful UV rays. Earmuff meets ANSI S3.19 standards.

Earmuff:

NRR 26dB

Low-profile ear cup design

Height adjustment to fit all sizes

Fold-away, padded headband

Eyewear:

Ventilated nosepiece is soft and adjustable

Top of frame is ventilated allowing air to circulate

Soft dual-injected rubber temple tips combined with fully adjustable straight back temples reinforce the highest level of comfort and fit



DUCOMB05710 (clamshell)
Clear Lens with Black Frame
Gray Ear Cup with Black Headband



DUCOMB05740 (clamshell)
Orange Lens with Black Frame
Gray Ear Cup with Black Headband

DU80 Series

NRR 26dB

Low-profile ear cup design

Height adjustment to fit all sizes

Fold-away, padded headband



DUPM8010 • (clamshell)
Gray Ear Cup with Black Headband

DUPM8010P • (clamshell)
Pink Ear Cup with Black Headband

Packaging

Ducks Unlimited products come packaged in either a branded clamshell or box.

Clamshell



Box

Pyramex Retail Packaged Products

Pyramex offers many popular industrial packaged products in a retail branded hang tag polybag, clamshell, polybag or blister card.

V2G® (clamshell)

For more information, see page 70.

Part No.	Description
PYGB1810ST ●●●●	Clear H2X Lens with Black Frame and Strap/Temples



Onix® (clamshell)

For more information, see page 101.

Part No.	Description
PYSP4910S ●●	Clear Lens with Black and Pink Frame



Venture 3® (clamshell)

For more information, see page 84.

Part No.	Description
PYSB5710D ●●●●	Clear Lens with Black Frame
PYSB5730D ●●●●	Amber Lens with Black Frame



Intrepid II® (clamshell)

For more information, see page 95.

Part No.	Description
PYSB8810S ●●●●	Clear Lens with Black Temples
PYSB8826S ●●●●	Smoke Green Lens with Black Temples
PYSB8827S ●●●●	Vermilion Lens with Black Temples



Intruder® (blister card)

For more information, see page 96.

Part No.	Description
PYS4110S ●●	Clear Lens with Clear Temples
PYS4120S ●●	Gray Lens with Gray Temples
PYS4130S ●●	Amber Lens with Amber Temples



blister card

clamshell

Solo® (hang tag polybag)

For more information, see page 101.

Part No.	Description
PYS510S ●●	Clear Lens with Clear Temples



Perforated Goggle

(hang tag polybag)

For more information, see page 111.

Part No.	Description
PYG201T ●	Clear Anti-fog Lens with Clear Goggle and Black Strap



Chemical Goggle

(hang tag polybag)

For more information, see page 111.

Part No.	Description
PYG204T ●	Clear Anti-fog Lens with Clear Goggle and Black Strap



Low Profile Chemical Splash Goggle

(hang tag polybag)

For more information, see page 110.

Part No.	Description
PYG704T ●	Clear Anti-fog Lens with Gray Goggle and Black Strap



PYS25 Combo Kits

(polybag)

For more information, see page 97 (Ztek® and Mini Ztek) and 129 (DP1000).

Ztek Part No.	Description	NRR 32dB SNR 36dB
PYS2510SDP	Clear Lens with Clear Temples with Disposable Uncorded Earplugs	
PYS2530SDP	Amber Lens with Amber Temples with Disposable Uncorded Earplugs	
Mini Ztek Part No.	Description	NRR 32dB SNR 36dB
PYS2510SNDP	Clear Lens with Clear Temples with Disposable Uncorded Earplugs	
PYS2517SNDP	Pink Lens with Pink Temples with Disposable Uncorded Earplugs	
PYS2530SNDP	Amber Lens with Amber Temples with Disposable Uncorded Earplugs	



Eyewear meets ANSI Z87.1+, European (EN166), and Canadian (CSA Z94.3) standards. All lenses are hard coated polycarbonate scratch-resistant and provide 99% protection from harmful UV rays. Disposable uncorded earplugs meet ANSI S3.19 and CE EN-352:2002 standards.

Disposable Uncorded Earplugs

(blister card or bin)

For more information, see page 131.

Part No.	Description	NRR 32dB SNR 36dB
PYDP1000 ●●	5 Pair of Disposable Uncorded Earplugs in Blister Card	
PYDP1000BN ●●	100 Pair of Disposable Uncorded Earplugs in Bin	



Reusable Corded Earplug

(blister card)

For more information, see page 129.

Part No.	Description	NRR 27dB SNR 26dB
PYRP2001 ●●	Pair of Reusable Corded Earplugs	



Dielectric Earmuff

(hang tag polybag)

For more information, see page 127.

Part No.	Description	NRR 22dB
PYPM2010 ●	Dielectric Earmuff	



Hi-vis Work Wear

(polybag)

For more information, see page 145.

Part No.	Description	Non-rated
PYRV110	Hi-vis Lime Vest (One Size Fits Most)	
PYRV120	Hi-vis Orange Vest (One Size Fits Most)	



Headgear (hang tag polybag)

For more information, see page 55.

Part No.	Description	ANSI Z87.1+
PYHGBRHT	Ridgeline® Ratchet Headgear	



Face Shield

(hang tag polybag)

For more information, see page 56.

Part No.	Description	ANSI Z87.1
PYS1010R	Polyethylene Face Shield Shown with HGBR – sold separately	



N95 Respirators

(clamshell)

For more information, see page 61.

Part No.	Description	NIOSH – N95
PYRM10C	3 Pack of N95 Disposable Particulate Respirator	
PYRM10VC	1 Pack of N95 Disposable Particulate Respirator with One Way Valve for Easy Exhalation	



All safety eyewear meets ANSI Z87.1+ standards (●) and provides 99% protection from harmful UV rays. All lenses are hard coated polycarbonate scratch-resistant. Some options meet European EN166 (●), Canadian CSA Z94.3 (●) – SEI third-party certification, or Ballistic MIL-PRF-32432 High Velocity Impact (●) standards. Hearing protection meets ANSI S3.19 (●) standards. Some options meet European CE EN-352:2002 (●) standards. For more information visit our website or contact your sales representative.



**You know the job.
We know the protection.**





Headgear Certifications

All Pyramex headgear products have been independently tested for various standards and certifications. Use the quick key (**ANSI** **CSA**) on the following pages to reference product models that meet these standards and certifications. Use the dots (••) next to each part number to reference which options meet the standards and certifications. Some exceptions may apply.

ANSI

- ANSI Z89.1 (hard hats)
- ANSI Z87.1 (brackets and face shields)
- ANSI Z87.1+ (polycarbonate face shields)

CSA

- Cert. Mod. - CAN/CSA Z94.1-15 —  third-party certification

UNDERSTANDING
ANSI/ISEA
Z89.1 & CSA
Z94.1 - 2015

American National Standard for Industrial Head Protection & Canadian Standards Association

Type 1 Top Impact

ANSI: Type I hard hat is designed to reduce the force of impact on top of the head. CSA: Type I hard hat provides impact and penetration protection for the crown only.

Class E Electrical

Class E provides the highest level of protection from high-voltage shock (up to 20,000 volts) and is especially well suited for electrical work.

Class G General

Class G is an all-purpose, general hard hat that provides good impact and penetration protection, but it offers limited voltage protection (up to 2,200 volts).

Class C Conductive

Class C does not offer electrical protection.

Source: Occupational Health & Safety



ANSI Z89.1 CSA Z94.1

Non-vented head protection meets ANSI Z89.1 (•), Type 1, Class E, G and C. Vented head protection meets ANSI Z89.1 (•), Type 1, and Class C. Hi-vis colors have been tested for the "HV" mark. Some options meet Canadian CSA Z94.1 - 2015 (•), Type 1, Class E, G and C standards – SEI third-party certification. For specific options visit our website or contact your sales representative.



Ridgeline® Hydro Dipped ANSI CSA

See Ridgeline hard hat features for cap style on page 49 and full brim on page 50.



Matte White Graphite Pattern
4-Point Ratchet

- HP44116 • Cap Style
- HP54116 •• Full Brim



Shiny White Graphite Pattern
4-Point Ratchet

- HP44116S • Cap Style
- HP44116SV • Vented Cap Style
- HP54116S •• Full Brim



Matte Black Graphite Pattern
4-Point Ratchet

- HP44117 • Cap Style
- HP44117V • Vented Cap Style
- HP54117 •• Full Brim



Shiny Black Graphite Pattern
4-Point Ratchet

- HP44117S • Cap Style
- HP54117S •• Full Brim



Matte Copper Pattern
4-Point Ratchet

- HP44118 • Cap Style
- HP54118 •• Full Brim



Matte Realtree® Camo Pattern
4-Point Ratchet

- HP44119 • Cap Style
- HP54119 •• Full Brim



Ridgeline® Cap Style ANSI

ABS material – strong, yet ultra-light for seemingly weightless protection

Low profile design – offers a low center of gravity for better balance

Available with 4- and 6-point ratchet suspensions

Swinging hinge points allow you to find the most comfortable position on the back of your head

4-position harness points allows you to move the harness forward, backward, up or down – allowing for the most optimal position for ultimate comfort

Easy to grasp knob adjusts the suspension from 6½ to 8 head size

Rear padded suspension – provides additional level of comfort on the wearers' neck

Replaceable ratchet suspensions available

Replaceable sweat band - padded fabric and polyurethane foam

Vented pressure pad keeps the straps in place providing an additional level of comfort

Universal accessory slots fit cap mounted earmuffs and accessories

Ridgeline cap style hard hats pass reverse orientation, high temperature (HT) and low temperature (LT)

Ridgeline vented cap style hard hats are rated Class C and do not meet Class E or G safety standards for industrial head protection

Custom imprinting available



4-Point Ratchet Part No.	Color
HP44110 •	White
HP44112 •	Gray
HP44113 •	Slate Gray
HP44120 •	Red
HP44130 •	Yellow
HP44131 •	Hi-vis Lime
HP44135 •	Green
HP44141 •	Hi-vis Orange
HP44160 •	Blue
HP44162 •	Light Blue
Vented 4-Point Ratchet Part No.	Color
HP44110V •	White
HP44112V •	Gray
HP44120V •	Red
HP44130V •	Yellow
HP44131V •	Hi-vis Lime
HP44141V •	Hi-vis Orange
HP44160V •	Blue
6-Point Ratchet Part No.	Color
HP46110 •	White
HP46120 •	Red
HP46130 •	Yellow
HP46131 •	Hi-vis Lime
HP46135 •	Green
HP46141 •	Hi-vis Orange
HP46160 •	Blue



HPR441 – 4-point Ratchet Replacement Suspension



HPR461 – 6-point Ratchet Replacement Suspension

SEE PAGE 48 FOR MORE

SEE PAGE 48 FOR MORE



Ridgeline® Full Brim **ANSI CSA**

Shell constructed from ABS material

Ratchet suspension is easy to adjust, allowing you to modify the fit while wearing hard hat

4-point ratchet suspension may be converted to 6-point ratchet suspension with optional strap (HP6PTSUS)

Replaceable ratchet suspensions available

Replaceable sweat band - padded fabric and polyurethane foam

Ridgeline full brim hard hats pass high temperature (HT) and low temperature (LT)

Custom imprinting available

4-Point Ratchet Part No.	Color
HP54110 ●●	White
HP54111 ●●	Black
HP54113 ●●	Slate Gray
HP54120 ●●	Red
HP54130 ●●	Yellow
HP54131 ●●	Hi-vis Lime
HP54135 ●●	Green
HP54141 ●●	Hi-vis Orange
HP54160 ●●	Blue
HP54170 ●●	Hi-vis Pink

SEE PAGE
48
FOR MORE



HPR541 – 4-point Ratchet Replacement Suspension



HP6PTSUS – 6-Point Suspension Strap



HPRBANDR – Ridgeline Cap Style and Full Brim Hard Hat Sweat Band



BPRBAND – Bump Cap Sweat Band

ANSI Z89.1 **CSA Z94.1**



Ridgeline Bump Caps **NON-RATED**

Shell constructed from polyethylene material

For applications where hard hats are not required, but some protection from minor bumps and scalp lacerations are needed

Available with 4-point glide lock suspension

Ventilation holes - keeps your head cool and dry

Replaceable sweat band - padded fabric and polyurethane foam

Not designed to meet the safety standards for industrial head protection

Custom imprinting available

4-Point Glide Lock Part No.	Color
HP40010	White
HP40011	Black
HP40012	Gray
HP40015	Brown
HP40020	Red
HP40030	Yellow
HP40035	Green
HP40040	Orange
HP40060	Blue



SL Series Cap Style **ANSI CSA**

Low profile design

Shell constructed from high density polyethylene materials

Rain trough on sides and back of helmet channel moisture away

Universal accessory slots fit cap mounted earmuffs and accessories

Snap lock suspension features "tuck away" adjustments for all day, hassle free wear

Ratchet suspension is easy to adjust and allows you to modify the fit while wearing hard hat

Available with 4- and 6-point nylon suspensions – snap lock and ratchet styles

Replaceable ratchet suspensions available

Replaceable sweat band - padded fabric and polyurethane foam

SL Series cap style hard hats pass for reverse orientation and low temperature (LT)

Custom imprinting available

4-Point Ratchet Part No.	Color
HP14110 ●●	White
HP14111 ●●	Black
HP14112 ●●	Gray
HP14120 ●●	Red
HP14130 ●●	Yellow
HP14131 ●●	Hi-vis Lime
HP14135 ●●	Green
HP14140 ●●	Orange
HP14141 ●●	Hi-vis Orange
HP14160 ●●	Blue
HP14162 ●●	Light Blue
HP14165 ●●	Dark Blue
HP14170 ●●	Hi-vis Pink

6-Point Ratchet Part No.	Color
HP16110 ●	White
HP16120 ●	Red
HP16130 ●	Yellow
HP16135 ●	Green
HP16140 ●	Orange
HP16141 ●	Hi-vis Orange
HP16160 ●	Blue

4-Point Snap Lock Part No.	Color
HP14010 ●	White
HP14020 ●	Red
HP14030 ●	Yellow
HP14031 ●	Hi-vis Lime
HP14035 ●	Green
HP14040 ●	Orange
HP14060 ●	Blue
HP14062 ●	Light Blue

6-Point Snap Lock Part No.	Color
HP16010 ●	White
HP16020 ●	Red
HP16030 ●	Yellow
HP16035 ●	Green
HP16040 ●	Orange
HP16060 ●	Blue



HP141 – 4-point Ratchet Replacement Suspension



HP161 – 6-point Ratchet Replacement Suspension



HHBAND – SL Series Cap Style and Full Brim Hard Hat Sweat Band



HPTRBAN – Universal Hard Hat Terry Cloth Sweat Band



HPCSTRAP – Chin Strap



SL Series Full Brim ANSI CSA

Shell constructed from high density polyethylene materials

Available with 4- and 6-point ratchet suspensions


Ratchet suspension is easy to adjust and allows you to modify the fit while wearing hard hat

Replaceable suspensions and headbands available

SL Series full brim hard hats pass high temperature (HT) and low temperature (LT)

Custom imprinting available

4-Point Ratchet Part No.	Color
HP24110 ••	White
HP24111 ••	Black
HP24120 ••	Red
HP24130 ••	Yellow
HP24131 ••	Hi-vis Lime
HP24135 ••	Green
HP24140 ••	Orange
HP24141 ••	Hi-vis Orange
HP24160 ••	Blue
6-Point Ratchet Part No.	Color
HP26110 •	White
HP26120 •	Red
HP26130 •	Yellow
HP26135 •	Green
HP26140 •	Orange
HP26160 •	Blue



HP241 – 4-point Ratchet Replacement Suspension



HP261 – 6-point Ratchet Replacement Suspension



HPSSUS – 4-point Ratchet Replacement Suspension



SL Series Sleek Shell ANSI

Ideal for linemen

Shell constructed from polyethylene materials

Offers impact and penetration resistance

Seamless low profile design

Available with 4-point ratchet suspension

No rain trough – prevents pooling of liquids

Soft brow pad absorbs perspiration

Custom imprinting available

Cap Style	4-Point Ratchet Part No.	Color
	HPS14110 •	White
Full Brim	4-Point Ratchet Part No.	Color
	HPS24110 •	White
	HPS24112 •	Gray
	HPS24160 •	Blue

Reflective Hard Hat Stickers NON-RATED

Microprismatic vinyl stickers increase visibility

Self-adhesive back with a peel-off liner for easy application

16 stickers per sheet

Shown with Ridgeline® hard hat – sold separately

Part No.	Color
HVRSLM	Lime
HVRSLOR	Orange
HVRSLWH	White



Headlamp UL

High power LED headlamp for use in hazardous locations

Rotatable head for vision needs

Waterproof, durable, and impact-resistant construction

Screw fastener for safety precautions

Adjustable strap to fit users' hard hat

High mode (200 lumens) and low mode (100 lumens) functions

Powered with three size AAA alkaline batteries – not included

Hex wrench is included for battery replacement

Shown with Ridgeline hard hat – sold separately

Part No.
HL100

Note: Headlamp is intrinsically safe for use in hazardous locations.



Baseball Bump Caps NON-RATED

Bump cap and baseball cap in one

Reflective piping adds extra visibility

Soft inner foam cushion for comfortable wear

Size can be adjusted with a hook and loop strap to give a quick, secure fit

Tough polyethylene vented shell is removable and the outer cap is fully washable

Holes in the liner match up with two mesh panels on the cap to provide additional ventilation for coolness and comfort

Ideal for meter readers, food processors, and other industries that don't require full hard hat protection

Not designed to meet the safety standards for industrial head protection

Part No.	Color
HP50011	Black
HP50031	Hi-vis Lime

Adapters **ANSI**

Ridgeline® Cap Style Adapter

Fits Ridgeline cap style hard hats and accommodates a variety of face shields

Dielectric

Hard hat adapters fit into slots of cap style hard hats

Use with cap mounted earmuff [CM6010]

Adjustable while using cap mounted earmuff

Hard hat and earmuff sold separately

Part No.
HHABCMR •



Aluminum Cap Style Adapter

Constructed from lightweight aluminum

Fits most cap style hard hats and accommodates a variety of face shields

Part No.
HHAA •



Cap Style Adapter

Constructed from durable nylon with plastic coated tension spring

Fits most cap style hard hats and accommodates a variety of face shields

Part No.
HHAB •

SL Series Cap Style Adapter

Fits SL Series cap style hard hats and accommodates a variety of face shields

Dielectric

Hard hat adapters fit into slots of cap style hard hats

Use with cap mounted earmuff [CM6010]

Adjustable while using cap mounted earmuff

Hard hat and earmuff sold separately

Part No.
HHABCMS •



Deluxe Aluminum Cap Style Adapter

Constructed from light weight aluminum

Designed to fit more rounded cap style hard hats

Accommodates a variety of face shields – does not fit S1060

Part No.
HHAAD •



Dielectric Cap Style Adapter

Dielectric

Constructed from 100% nylon material

Fits most cap style hard hats and accommodates a variety of face shields

Part No.
HHAN •



Aluminum Full Brim Adapter

Constructed from lightweight aluminum

Fits most full brim hard hats and accommodates a variety of face shields

Part No.
HHAAW •



Dielectric Full Brim Adapter

Dielectric

Constructed from high impact resistant ABS resin

Fits on most full brim hard hats and accommodates a variety of face shields

Part No.
HHABW •



Ridgeline® Ratchet Headgear

Meets ANSI Z87.1+

Constructed from durable nylon

Ratchet adjustment for easy fit

Pivoting action allows user to lift face shield while wearing

Adjustable pegs will accommodate a wide variety of face shields

Part No.
HGBR •
PYHGBRHT* •
*Pyramex retail packaged product on page 43.



Face Shield and Headgear Combo

Aluminum Bound Polycarbonate Face Shield	Ridgeline Ratchet Headgear
Meets ANSI Z87.1+	Meets ANSI Z87.1+
8" x 15" .040" thick	Constructed from durable nylon
Aluminum bound allows shield to bend into preferred shape	Ratchet adjustment for easy fit
Provides 99% UVA/B/C protection	Pivoting action allows user to lift face shield while wearing
Universal slots	Adjustable pegs

Part No.
HGBRKITCS •



Cylinder Polycarbonate Face Shield with slots for Chin Cup

Meets ANSI Z87.1+

8" x 15.5" | .078" thick

Provides 99% UVA/B/C protection

Universal slots will accommodate a wide variety of headgear

Accessory slots on bottom accommodate CHICUP – sold separately

Part No.
S1210CC •



Chin Protector for S1210CC **NON-RATED**

8.46" x 2.74" | 0.09" thick

Accommodates S1210CC – sold separately

Part No.
CHICUP



Polyethylene Face Shield

Meets ANSI Z87.1
8" x 15" | .040" thick
Universal slots will accommodate a wide variety of headgear
Shown with HGBR - sold separately

Part No.
S1010 •
PYS1010R* •
*Pyramex retail packaged product on page 43.



Aluminum Bound Polyethylene Face Shield

Meets ANSI Z87.1
8" x 15" | .040" thick
Aluminum bound allows shield to bend into preferred shape
Universal slots will accommodate a wide variety of headgear
Shown with HGBR – sold separately

Part No.
S1015 •



Dark Green Tinted Polyethylene Face Shield

Meets ANSI Z87.1
8" x 15" | .040" thick
Not IR resin – use for heat and glare
Universal slots will accommodate a wide variety of headgear
Shown with HGBR – sold separately

Part No.
S1035 •



Tapered Polycarbonate Face Shield

Meets ANSI Z87.1+
8" x 15" | .078" thick
Provides 99% UVA/B/C protection
Universal slots will accommodate a wide variety of headgear
Shown with HGBR – sold separately

Part No.
S1110 •



Polycarbonate Face Shield

Meets ANSI Z87.1+
8" x 15" | .040" thick
Provides 99% UVA/B/C protection
Universal slots will accommodate a wide variety of headgear
Shown with HGBR – sold separately

Part No.
S1020 •



Aluminum Bound Polycarbonate Face Shield

Meets ANSI Z87.1+
8" x 15" | .040" thick
Aluminum bound allows shield to bend into preferred shape
Provides 99% UVA/B/C protection
Universal slots will accommodate a wide variety of headgear
Shown with HGBR – sold separately

Part No.
S1040 •



Steel Wire Mesh Face Shield

Meets ANSI Z87.1+
8" x 15.5"
Provides good airflow for comfort
Does not accommodate the HHAAD hard hat adapter
Shown with HGBR – sold separately

Part No.
S1060 •



Tapered IR5 Polycarbonate Face Shield

Meets ANSI Z87.1+
8" x 15.5" | .078" thick
Provides 99% UVA/B/C protection
Universal slots will accommodate a wide variety of headgear
Shown with HGBR – sold separately

Part No.
S1150 •



Cylinder Polycarbonate Face Shield

Meets ANSI Z87.1+
8" x 15.5" | .078" thick
Provides 99% UVA/B/C protection
Universal slots will accommodate a wide variety of headgear
Shown with HGBR – sold separately

Part No.
S1210 •



Cylinder IR5 Polycarbonate Face Shield

Meets ANSI Z87.1+
8" x 15.5" | .078" thick
Provides 99% UVA/B/C protection
Universal slots will accommodate a wide variety of headgear
Shown with HGBR – sold separately

Part No.
S1250 •

ANSI Z87.1

Face shields meet ANSI Z87.1 (•) standards for general requirements. Polycarbonate face shields also meet ANSI Z87.1+ high impact requirements. Face shields offer secondary protection and must be worn with spectacles or goggles. For specific options, visit our website or contact your sales representative.

New Hire Kits

- Intruder® – clear lens [S4110S] or gray lens [S4120S]
- Type R Class 2 vest – lime [RVZ2110] or orange [RVZ2120]
- SL Series hard hat – white cap style with 4-point snap lock suspension [HP14010] or white full brim 4-point ratchet suspension [HP24110]
- Disposable corded earplugs – NRR 32dB / SNR 36dB [DP1001]
- Poly-Torq™ PU glove – 13 gauge nylon liner [GL401]



SL Series Cap Style			
NHCM	Lime	S4110S, RVZ2110M, HP14010, DP1001 and GL401	
NHCL	Lime	S4110S, RVZ2110L, HP14010, DP1001 and GL401	
NHCXL	Lime	S4110S, RVZ2110XL, HP14010, DP1001 and GL401	
NHCX2	Lime	S4110S, RVZ2110X2, HP14010, DP1001 and GL401	
NHGL	Lime	S4120S, RVZ2110L, HP14010, DP1001 and GL401	
NHGXL	Lime	S4120S, RVZ2110XL, HP14010, DP1001 and GL401	
NHGX2	Lime	S4120S, RVZ2110X2, HP14010, DP1001 and GL401	
NHCORM	Orange	S4110S, RVZ2120M, HP14010, DP1001 and GL401	
NHCORL	Orange	S4110S, RVZ2120L, HP14010, DP1001 and GL401	
NHCORXL	Orange	S4110S, RVZ2120XL, HP14010, DP1001 and GL401	
NHCORX2	Orange	S4110S, RVZ2120X2, HP14010, DP1001 and GL401	

SL Series Full Brim			
NHFBCL	Lime	S4110S, RVZ2110L, HP24110, DP1001 and GL401	
NHFBCLXL	Lime	S4110S, RVZ2110XL, HP24110, DP1001 and GL401	
NHFBGL	Lime	S4120S, RVZ2110L, HP24110, DP1001 and GL401	
NHFBGLXL	Lime	S4120S, RVZ2110XL, HP24110, DP1001 and GL401	

Intruder meets ANSI Z87.1+, CE EN166, CSA Z94.3 and AS/NZS 1337 standards. All lenses are hard coated polycarbonate scratch-resistant and provide 99% protection from harmful UV rays. Hi-vis work wear meets ANSI/ISEA 107-2015 Type R Class 2 standards. SL series hard hats meet ANSI Z89.1, CSA Z94.1 - 2015, Type 1, Class C, G, and E for industrial head protection standards. Disposable corded earplugs meet ANSI S3.19 and CE EN-352:2002 standards. Gloves meets European EN388:2003 standards. Contents are subject to change.

Ridgeline® Forestry Kits

- Ridgeline ratchet headgear – [HHABCMR]
- Ridgeline cap style hard hat with 4-point ratchet suspension – white [HP44110] or hi-vis orange [HP44141]
- Cap mounted earmuff – NRR 27dB [CM6010]
- Face shield – steel wire mesh [S1060]



Ridgeline Series		
FORKIT10		HP44110, HHABCMR, CM6010 and S1060
FORKIT41		HP44141, HHABCMR, CM6010 and S1060

Ridgeline headgear meets ANSI Z87.1 standards. Ridgeline hard hat meets ANSI Z89.1, Type 1, Class C, G, and E for industrial head protection standards. Cap mounted earmuff meets ANSI S3.19 standards. Face shield meets ANSI Z87.1 standards for wire mesh. Face shield offers secondary protection and must be worn with spectacles or goggles.

SL Series Forestry Kits

- SL series ratchet headgear – [HHABCMS]
- SL series cap style hard hat with 4-point ratchet suspension– white [HP14110] or hi-vis orange [HP14141]
- Cap mounted earmuff – NRR 27dB [CM6010]
- Face shield – steel wire mesh [S1060]



SL Series		
FORKIT10SL		HP14110, HHABCMS, CM6010 and S1060
FORKIT41SL		HP14141, HHABCMS, CM6010 and S1060

SL series headgear meets ANSI Z87.1 standards. SL series hard hats meet ANSI Z89.1, CSA Z94.1 - 2015, Type 1, Class C, G, and E for industrial head protection standards. Cap mounted earmuff meets ANSI S3.19 standards. Face shield meets ANSI Z87.1 standards for wire mesh. Face shield offers secondary protection and must be worn with spectacles or goggles.

UNDERSTANDING NIOSH

National Institute for Occupational Safety and Health

N95 Designation

N95 respirators are respiratory protective devices designed to achieve a close facial fit and efficient filtration of airborne particles. N95 designation means the respirator blocks at least 95% of very small particles but not resistant to oil.



Disposable Particulate Respirators

N95 – 95% efficient respiratory protection in non-oil areas

Ultrasonically welded straps eliminate the need for staples

Straps are latex free

Shell is durable and keeps structure under heavy humidity

Soft, smooth outer and inner layer is comfortable on the skin

Inner foam strip reduces the potential for eyewear fogging

Outer aluminum adjustable nosepiece holds shape for proper fit

Use Against:

NIOSH approved for protection against particulate aerosols free of oils. Pyramex recommends this respirator for use against particulates containing materials such as flour, iron ore, coal and minerals.

Do Not Use Against:

Vapors, paint spray, oil-based aerosols, asbestos and sand blasting
Any contaminant whose concentration is unknown, or immediately dangerous to life
Concentrations of dust and mists which exceed the maximum use of concentration or 10 times contaminant's permissible exposure limit established by OSHA



Part No.	Description	Size
RM10 PYRM10C*	N95 Particulate Respirator	One Size Fits Most

*Pyramex retail packaged product



Part No.	Description	Size
RM10V PYRM10VC*	N95 Particulate Respirator with One Way Valve for Easy Exhalation	One Size Fits Most

*Pyramex retail packaged product on page 43.




Disposable Respirators meet the NIOSH standard for N95 particulate respirators. For specific options visit our website or contact your sales representative.



Part No.	Description
HCW100	100 Individually Packaged Alcohol Free Hygienic Wipes



Note: HCW100 are safe and effective for cleaning respirators, hard hat suspensions and other personal protective equipment, but not to be used on disposable particulate respirators.



Eyewear Features

Pyramex has an extensive line of eyewear for a variety of applications. Use the icons below to quickly find some of the most requested features for safety eyewear.



ADJUSTABLE NOSEPIECE



ADJUSTABLE TEMPLES



CO-INJECTED TEMPLES



DIELECTRIC



DUAL PANE LENS



FOAM PADDING



INCLUDES STRAP



LOCKING TEMPLE



MULTI LENSES



POLARIZED OPTION



RATCHETING TEMPLES



RUBBER NOSEPIECE



RUBBER TIPS




VENTED FRAME



VENTED LENS

Eyewear Certifications

All Pyramex eyewear products have been independently tested for various standards and certifications. Use the quick key (ANSI CE CSA AS BALLISTIC) on the following pages to reference product models that meet these standards and certifications. Use the dots (•••••) next to each part number to reference which options meet the standards and certifications.

ANSI	• ANSI Z87.1+ High Impact
CE	• CE EN166
CSA	• Cert. Mod. - CAN/CSA Z94.3 -15 -  third-party certification
AS	• AS/NZS 1337
BALLISTIC	• MIL-PRF-32432 High Velocity Impact Standards



Lens Treatments

H2MAX Anti-fog Coating










The innovative technology behind the **H2MAX** creates a high performing, superior anti-fog coating that is durable enough to withstand repeated cleaning without losing adhesion. Not only does this premium treatment ensure maximum clarity in the most extreme temperature and humidity conditions, but it also adds a layer to the lens that is abrasion and chemical resistant. The **H2MAX** anti-fog coating is made from non-hazardous environmental components. Coating resists scratching from steel wool up to 100g weight. **H2MAX** passes ANSI Z87.1 standards, CE standards for N and K, and Canadian certification CAN/CSA Z94.3.

H2X Anti-fog Coating

H2X provides anti-fog, anti-scratch, and anti-static protection. Even after repeated cleanings, **H2X** will continue to be effective because, the coating is bonded to the lenses. The **H2X** anti-fog coating is made from non-hazardous environmental components. Coating is waterproof with excellent scratch resistance. **H2X** passes ANSI Z87.1 standards and Canadian certification CAN/CSA Z94.3.

Lens Colors and VLT

When light passes through a lens, some of it is absorbed and some of it is reflected back. The amount of light that passes through is known as the visible light transmission (VLT) and is represented by a percentage. Lens colors with a higher percentage of VLT will be lighter and allow more light to pass through, while lens colors with a lower percentage of VLT will be darker, blocking more light from reaching your eyes.

 Clear 91%	 Amber 89%	 Photochromic 84%	 Pink 82%	 Infinity Blue 71%	 1.5 IR Filter 66%
 Arc 64%	 Orange 61%	 Light Gray 52%	 I/O Mirror 51%	 Purple Haze 43%	 Vermilion 38%
 Coffee 27%	 Multi-color Mirror 27%	 Shooter's Amber 27%	 Sandstone Bronze 27%	 Bronze 23%	 Gray 23%
 Sun Block Bronze 20%	 Antique Mirror 18%	 Blue Mirror 18%	 Gold Mirror 18%	 Green Mirror 18%	 Silver Mirror 18%
 Mango 16%	 Sky Red Mirror 14%	 Ice Blue Mirror 13%	 3.0 IR Filter 11%	 Smoke Green Mirror 11%	 Forest Gray 10%
 Ice Orange Mirror 10%	 Smoke Green 10%	 Dark Gray 7%	 5.0 IR Filter 2%		

Lens Technology

Polycarbonate Lenses

All Pyramex safety eyewear utilize polycarbonate lenses. Polycarbonate lenses are up to 10 times more impact-resistant than plastic or glass lenses and provide 99% protection from the sun's harmful UV rays. They are lightweight and include a scratch-resistant coating to prevent surface scratches.

Photochromic Lenses

Photochromic lenses change from clear to dark, after exposed to direct UV light. Changes from dark to clear, after removed from UV light.









Polarized Lenses

Polarized lenses eliminate glare, increase visual clarity and enhances contrast all while reducing eye strain. We offer polarized options in forest green, sky red mirror, green mirror, blue mirror and gray.


















Applications

Use our suggested lens color guide to help decide which lens is best for the task at hand.


Enhance Contrast

 Amber	 Pink	 Infinity Blue	 Orange	 Purple Haze	 Vermilion
 Shooter's Amber	 Sandstone Bronze				

Excessive Glare

 Light Gray	 I/O Mirror	 Gray	 Blue Mirror	 Gold Mirror	 Green Mirror
 Silver Mirror	 Sky Red Mirror	 Ice Blue Mirror	 Forest Gray	 Ice Orange Mirror	 Dark Gray
 Polarized Gray	 Polarized Blue Mirror	 Polarized Green Mirror	 Polarized Sky Red Mirror	 Polarized Forest Gray	

Indoor Use

 Clear	 Amber	 Pink	 Infinity Blue	 Orange	 I/O Mirror
 Purple Haze	 Mango				

Low Light

 Amber	 Pink	 Infinity Blue	 Orange	 Purple Haze	 Shooter's Amber
 Sun Block Bronze	 Mango				

Outdoor Use

 Light Gray	 I/O Mirror	 Coffee	 Multi-color Mirror	 Sandstone Bronze	 Gray
 Sun Block Bronze	 Blue Mirror	 Gold Mirror	 Green Mirror	 Silver Mirror	 Sky Red Mirror
 Ice Blue Mirror	 Smoke Green Mirror	 Forest Gray	 Ice Orange Mirror	 Smoke Green	 Dark Gray
 Polarized Gray	 Polarized Blue Mirror	 Polarized Green Mirror	 Polarized Sky Red Mirror	 Polarized Forest Gray	

Welding

 1.5 IR Filter	 Arc	 3.0 IR Filter	 5.0 IR Filter
---	---	---	---



Note: 1.5 IR is designed for peripheral personnel and visitors who are NOT exposed to direct IR radiation. Arc is great for use under the welding helmet – allowing welder to see work clearly without suffering "welder's flash burn" from surrounding welders.

UNDERSTANDING Sealed & Foam Padded Eyewear

Sealed and foam padded eyewear are often ideal options for dusty or windy work environments. Many of our sealed and foam padded eyewear products also come with features like sealed rubber gaskets, interchangeable temples, and goggle straps, which make them easily customizable.



Isotope™ ANSI CE CSA BALLISTIC



- Dielectric
- Interchangeable temples and neoprene strap
- Temples adjust to three different lengths
- Dual frame design features a rubber gasket
- Passes Ballistic MIL-PRF-32432 High Velocity Impact standards when worn with strap
- Passes D3: Droplet and Splash Test when worn with strap

Part No.	Black Frame
GB9410STM ●●●●	AF Clear H2MAX
GB9420STM ●●●●	AF Gray H2MAX
GB9430STM ●●●●	AF Amber H2MAX
GB9480ST ●●●●	AF I/O Mirror



vimeo.com/pyramex/h2max

Watch the video

vimeo.com/pyramex/isotope



Download a FREE QR Reader to your smartphone through your phone's app store
Scan the code

ANSI Z87.1 CE EN166 CSA Z94.3 BALLISTIC

All safety eyewear meets ANSI Z87.1+ standards (●) and provides 99% protection from harmful UV rays. All lenses are hard coated polycarbonate scratch-resistant unless otherwise noted. Some options meet European EN166 (●), Canadian CSA Z94.3 (●) – SEI third-party certification or Ballistic MIL-PRF-32432 High Velocity Impact (●) standards. For specific lens options, visit our website or contact your sales representative.

Fyxate™ ANSI CSA



- Dielectric
- Rubber temple tips and nosepiece
- Single wraparound lens
- Foam padding available on select options
- Quick release strap available on foam padded options only

Part No.	Lens and Temples
SB10210S ●●	Clear
SB10210ST ●●	AF Clear H2X
SB10220S ●●	Gray
SB10220ST ●●	AF Gray H2X
SB10280S ●●	I/O Mirror
Part No.	Foam Padded
SB10210STMFP ●●	AF Clear H2MAX
SB10220STMFP ●●	AF Gray H2MAX



vimeo.com/pyramex/h2max



Torser™ ANSI CE CSA



- Dielectric
- Flexible rubber gasket
- Ratchet elastic headband with quick-fit retainer
- Passes D3: Droplet and Splash Test – provides protection from droplets and splashes
- Passes D4: Dust Test – provides protection from dust particles

Part No.	Black Body
GB10010TM ●●●●	AF Clear H2MAX
GB10020TM ●●●●	AF Gray H2MAX
GB10025TM ●●	AF Light Gray H2MAX



vimeo.com/pyramex/h2max





I-Force® and I-Force Slim

ANSI CE CSA AS BALLISTIC



Dual pane lens
Outer polycarbonate lens protects against the environment, while inner acetate lens prevents fogging
Outside lens is coated with anti-fog treatment
Quick release interchangeable temples and strap
Removable vented foam carriage
Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

Watch the video

vimeo.com/pyramex/i-force



Download a FREE QR Reader to your smartphone through your phone's app store
Scan the code



157mm



148 mm

I-Force

Part No.	Black Frame
SB7010SDT ●●●●●	AF Clear Dual Pane H2X
SB7020SDT ●●●●●	AF Gray Dual Pane H2X
SB7030SDT ●●●●●	AF Amber Dual Pane H2X
SB7080SDT ●●●●●	AF I/O Mirror Dual Pane

! Note: I-Force Slim is about 6% smaller than the I-Force.

I-Force Slim

Part No.	Black Frame
SB7010SDNT ●●●●●	AF Clear Dual Pane H2X
SB7020SDNT ●●●●●	AF Gray Dual Pane H2X
SB7080SDNT ●●●●●	AF I/O Mirror Dual Pane

Highlander™ ANSI CE



Removable soft foam carriage
Durable frame with detachable strap

Part No.	Black Frame
SBB5010DT ●●●●●	AF Clear H2X
SBB5020DT ●●●●●	AF Gray H2X
SBB5055DT ●●●●●	AF Sky Red Mirror
SBB5070DT ●●●●●	AF Silver Mirror
SBB5080DT ●●●●●	AF I/O Mirror
Part No.	Black and Lime Frame
SBL5010DT ●●●●●	AF Clear H2X
Part No.	Black and Red Frame
SBR5010DT ●●●●●	AF Clear H2X
SBR5020DT ●●●●●	AF Gray H2X
Part No.	Black and Silver Frame
SSB5020DT ●●●●●	AF Gray H2X
SSB5065DT ●●●●●	AF Ice Blue Mirror

! Note: Highlander is partially foam padded which allows for airflow.



Highlander Plus ANSI CE CSA BALLISTIC



Removable indirect vented foam carriage
Detachable strap
Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

Part No.	Black and Gray Frame
SBG5010DT ●●●●●	AF Clear H2X
SBG5020DT ●●●●●	AF Gray H2X
SBG5030DT ●●●●●	AF Amber H2X
SBG5055DT ●●●●●	AF Sky Red Mirror
SBG5080DT ●●●●●	AF I/O Mirror

! Note: Highlander Plus is partially foam padded which allows for airflow.





V2G®

ANSI

CE

CSA

AS

BALLISTIC

FOAM PADDING

INCLUDES STRAP

RATCHETING TEMPLES

VENTED FRAME

SEE PAGE 105 FOR MORE

- Flame resistant foam padding
- Vented lens and frame
- Interchangeable temples and strap included
- Strap and temples feature ratchet adjustment with quick-fit retainer
- Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

Part No.	Black Frame
GB1810ST ●●●●●	AF Clear H2X
PYGB1810ST* ●●●●●	AF Clear H2X
GB1810STM ●●●●●	AF Clear H2MAX
GB1820ST ●●●●●	AF Gray H2X
GB1820STM ●●●●●	AF Gray H2MAX
GB1830ST ●●●●●	AF Amber H2X
GB1850SFT ●●●●●	AF 5.0 IR Filter H2X
GB1860SFT ●●●●●	AF 3.0 IR Filter H2X
GB1880ST ●●●●●	AF I/O Mirror

H2MAX

ANTI-FOG

vimeo.com/pyramex/h2max

*Pyramex retail packaged product on page 42.



V2G Rx Insert

- Securely snaps into place above nosepiece
- Includes micro-fiber storage case
- Accommodates -3.0 to +3.0 prescription lenses
- Take insert to local optometrist for Rx lens installation

Part No.
RX1800

ANSI

Z87.1

CE

EN166

CSA

Z94.3

AS

NSZ1337

BALLISTIC

All safety eyewear meets ANSI Z87.1+ standards (●) and provides 99% protection from harmful UV rays. All lenses are hard coated polycarbonate scratch-resistant unless otherwise noted. Some options meet European EN166 (●), Canadian CSA Z94.3 (●) – SEI third-party certification, Australian AS/NZS 1337 (●) or Ballistic MIL-PRF-32432 High Velocity Impact (●) standards. For specific lens options, visit our website or contact your sales representative.

V3G®

ANSI

CE

CSA

AS

BALLISTIC

FOAM PADDING

INCLUDES STRAP

RATCHETING TEMPLES

VENTED FRAME

- Vented lens and frame
- Interchangeable temples and strap included
- Strap and temples feature ratchet adjustment with quick-fit retainer
- Flame resistant foam padding
- Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

Part No.	Black Frame
GB8210ST ●●●●●	AF Clear H2X
GB8220ST ●●●●●	AF Gray H2X
GB8230ST ●●●●●	AF Amber H2X
GB8280ST ●●●●●	AF I/O Mirror



V3T™

ANSI

CSA

BALLISTIC

FOAM PADDING

INCLUDES STRAP

VENTED FRAME

- Vented lens and frame
- Quick release strap
- Flame resistant foam padding
- Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

Part No.	Black Frame
SB10310ST ●●●●●	AF Clear
SB10320ST ●●●●●	AF Gray
SB10330ST ●●●●●	AF Amber
SB10380ST ●●●●●	AF I/O Mirror





XSG® ANSI CE CSA



FOAM
PADDING



INCLUDES
STRAP



SEE PAGE
105
FOR MORE

Flame resistant foam padding

Strap has quick-fit retainer

Interchangeable temples and strap included

Part No.	Black Frame
GB4010ST ●●●	AF Clear H2X
GB4010STM ●●●	AF Clear H2MAX
GB4020ST ●●●	AF Gray H2X
GB4080ST ●●●	AF I/O Mirror




H2MAX
ANTI-FOG

vimeo.com/pyramex/h2max



XSG Kit ANSI CE BALLISTIC



FOAM
PADDING



INCLUDES
STRAP



MULTI
LENSES

Interchangeable lenses, temples, and strap

Black nylon case for storage

Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

Part No.	Black Frame
GB4010KIT ●●●	AF Clear H2X
	AF Gray H2X
	AF Amber H2X



XS3 PLUS® ANSI CSA AS



FOAM
PADDING



INCLUDES
STRAP



CO-INJECTED
TEMPLES

Unique slim temple design with co-injected temple tips

Soft foam padding

Part No.	Black Frame
SB4610STP ●●●	AF Clear H2X
SB4620STP ●●●	AF Gray H2X
SB4680STP ●●●	AF I/O Mirror



PMXCEL® ANSI



FOAM
PADDING



INCLUDES
STRAP



POLARIZED
OPTION


Flame resistant inner foam padding

Detachable strap

Part No.	Black Frame
SB7310DT ●	AF Clear
SB7320DT ●	AF Gray
SB7321DT ●	AF Polarized Gray



Proximity® ANSI CE CSA



FOAM
PADDING



CO-INJECTED
TEMPLES

Removable flame resistant foam padding

Lightweight spectacle – 26.3gm

Slim co-injected temples

Part No.	Black Frame
SB9310ST ●●●	AF Clear H2X
SB9310STM ●●●	AF Clear H2MAX
SB9323ST ●●●	AF Dark Gray H2X
SB9323STM ●●●	AF Dark Gray H2MAX
SB9330ST ●●●	AF Amber H2X
SB9380ST ●●●	AF I/O Mirror



H2MAX
ANTI-FOG

vimeo.com/pyramex/h2max

Accurist® ANSI CSA



FOAM
PADDING



CO-INJECTED
TEMPLES



RUBBER
NOSEPIECE

Flame resistant foam padding

Built-in rubber nosepiece

Co-injected temple tips

Part No.	Black Frame
SB8710DTP ●●●	AF Clear
SB8715DTP ●●●	AF Coffee
SB8720DTP ●●●	AF Gray
SB8725DTP ●●●	AF Light Gray
SB8770DP ●●●	AF Silver Mirror
SB8775DP ●●●	AF Blue Mirror

Part No.	Black and Red Frame
SBR8710DTP ●●●	AF Clear
SBR8720DTP ●●●	AF Gray
SBR8770DP ●●●	AF Silver Mirror



All safety eyewear meets ANSI Z87.1+ standards (●) and provide 99% protection from harmful UV rays. All lenses are hard coated polycarbonate scratch-resistant unless otherwise noted. Some options meet European EN166 (●), Canadian CSA Z94.3 (●) – SEI third-party certification, Australian AS/NZS 1337 (●) or Ballistic MIL-PRF-32432 High Velocity Impact (●) standards. For specific lens options visit our website or contact your sales representative.

UNDERSTANDING Full Frame Eyewear

Full frame glasses feature lenses that are surrounded and held in place by a sturdy frame, making them perfect for a multitude of job applications or for leading an active lifestyle. They also tend to provide a closer fit than half frame or frameless options. We have an array of frame colors, patterns, and shapes to help you achieve the look that's right for you.



Goliath® ANSI CE CSA AS



Co-injected rubber temples

Part No.	Black Frame
SB56100 ●●●	Clear
SB56100T ●	AF Clear H2X
SB5620D ●●●	Gray
SB5620DT ●●●	AF Gray H2X
SB5621D ●●●●	Polarized Gray
SB5645D ●●	Ice Orange Mirror
SB5665D ●●●●	Ice Blue Mirror
SB5670D ●●	Silver Mirror
SB5680D ●	I/O Mirror
Part No.	White Frame
SW5620D ●●●	Gray
SW5655D ●●	Sky Red Mirror
SW5665D ●●●	Ice Blue Mirror



Outlander® ANSI



Dual lens style with wide temples
Soft nosepiece

Part No.	Black Frame
SB8010D ●	Clear
SB8020D ●	Gray
SB8065D ●	Ice Blue Mirror
SB8070D ●	Silver Mirror
SB8080DT ●	AF I/O Mirror
Part No.	Nickel Frame
SNK8020D ●	Gray

Trifecta® ANSI


Punched steel lens
Provides excellent eye protection for work environments with high humidity that require impact protection
This product meets only high impact requirements

Part No.	Black Frame
SB76WMD ●	Black Punched Steel





Exeter® ANSI CE AS



Built-in rubber nosepiece

Co-injected rubber temples

Part No.	Glossy Black Frame
SB5110DT •●	AF Clear H2X
SB5120DT •●●	AF Gray H2X
SB5133DT •	AF Shooter's Amber H2X
SB5155DT •●●	AF Sky Red Mirror
SB5170DT •●●	AF Silver Mirror
SB5175DT •●	AF Blue Mirror
SB5180DT •	AF I/O Mirror
Part No.	Charcoal Gray Frame
SCG5165DT •	AF Ice Blue Mirror



ANSI Z87.1 CE EN166 AS NSZ1337

All safety eyewear meets ANSI Z87.1+ standards (●) and provides 99% protection from harmful UV rays. All lenses are hard coated polycarbonate scratch-resistant unless otherwise noted. Some options meet European EN166 (●) or Australian AS/NZS 1337 (●) standards. For specific lens options visit our website or contact your sales representative.

Solara® ANSI



Straight back temples with rubber insert

Built-in rubber nosepiece

Extended lens

Part No.	Black Frame
SB4310D •	Clear
SB4320D •	Gray
SB4360D •	Infinity Blue
SB4375D •	Blue Mirror
SB4380D •	I/O Mirror
Part No.	Translucent Gray Frame
STG4310D •	Clear
STG4320D •	Gray
STG4370D •	Silver Mirror



Azera® ANSI



Straight back temples

Built-in rubber flange nosepiece

Part No.	Black Frame
SB4410D •	Clear
SB4420D •	Gray
SB4430D •	Amber





Zone II® ANSI CE AS



Built-in nosepiece
Rubber coated temple tips

Part No.	Matte Black Frame
SB3310E •●	Clear
SB3320E •●●	Gray
SB3345E •●	Ice Orange Mirror
SB3365E •●	Ice Blue Mirror
SB3370E •●	Silver Mirror
SB3380E •●	I/O Mirror
Part No.	Blue Wood Frame
SBW3320E •	Gray
Part No.	Red Wood Frame
SRW3320E •●	Gray
SRW3370E •	Silver Mirror
Part No.	Silver Frame
SS3320E •●	Gray
SS3345E •	Ice Orange Mirror
SS3365E •	Ice Blue Mirror
SS3370E •	Silver Mirror
SS3375E •	Blue Mirror



Furix® ANSI CE

Lightweight contemporary frame
Straight back temples

Part No.	Black Frame
SB8510DT •●	AF Clear
SB8515DT •●	AF Coffee
SB8520DT •●	AF Gray
SB8575DT •●	AF Blue Mirror
SB8580DT •	AF I/O Mirror
Part No.	White Frame
SW8520DT •	AF Gray
SW8575DT •	AF Blue Mirror



Zone® ANSI

Lightweight nylon frame

Part No.	Black Frame
SB910E •	Clear
SB920E •	Gray



Pathfinder™ ANSI

Metal frame features traditional aviator style


Part No.	Gold Metal Frame
SG310A •	Clear

UNDERSTANDING Half Frame Eyewear

Half frame glasses blend the breathability of a frameless design with the durability provided by a full frame. Many of our half frame options come with an adjustable nosepiece feature allowing them to function and fit much like regular glasses. They are ideal for any application where both durability and an unobstructed line of vision are equally important.



Ever-Lite® ANSI CE CSA



- Soft nosepiece for snug fit
- Slim co-injected temples
- Lightweight spectacle – 22 gm

Part No.	Black Frame
SB8610D ●●●	Clear
SB8610DT ●●●	AF Clear H2X
SB8610DTM ●●●	AF Clear H2MAX
SB8620D ●●●	Gray
SB8620DT ●●●	AF Gray H2X
SB8620DTM ●●●	AF Gray H2MAX
SB8623D ●●●	Dark Gray
SB8623DT ●●●	AF Dark Gray H2X
SB8625DTM ●●●	AF Light Gray H2MAX
SB8624D ●●●	Photochromic
SB8630D ●●●	Amber
SB8660D ●●●	Infinity Blue
SB8660DT ●●●	AF Infinity Blue H2X
SB8660DTM ●●●	AF Infinity Blue H2MAX
SB8665D ●●●	Ice Blue Mirror
SB8680D ●●●	I/O Mirror
SB8680DT ●●●	AF I/O Mirror

Note: Photochromic lens changes from clear to dark, after exposed to direct UV light. Changes from dark to clear, after removed from UV light.



vimeo.com/pyramex/h2max

ANSI Z87.1 CE EN166 CSA Z94.3 BALLISTIC

All safety eyewear meets ANSI Z87.1+ standards (●) and provides 99% protection from harmful UV rays. All lenses are hard coated polycarbonate scratch-resistant unless otherwise noted. Some options meet European EN166 (●), Canadian CSA Z94.3 (●) – SEI third-party certification or Ballistic MIL-PRF-32432 High Velocity Impact (●) standards. For specific lens options, visit our website or contact your sales representative.



Sitecore™ ANSI CE CSA



- Built-in rubber nosepiece
- Flexible and ventilated temples
- Ratcheting temples
- Temples adjust to three different lengths



vimeo.com/pyramex/h2max

Part No.	Black and Gray Frame
SBG10110D ●●●	Clear
SBG10110DTM ●●●	AF Clear H2MAX
SBG10120D ●●●	Gray
SBG10120DTM ●●●	AF Gray H2MAX
SBG10180D ●●●	I/O Mirror
Part No.	Gray and Lime Frame
SGL10110D ●●●	Clear
SGL10110DTM ●●●	AF Clear H2MAX
SGL10120D ●●●	Gray
SGL10120DTM ●●●	AF Gray H2MAX
SGL10180D ●●●	I/O Mirror

Ionix® ANSI CSA BALLISTIC

- Built-in rubber nosepiece
- Flexible and ventilated temples
- Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

Part No.	Black Frame
SB8110D ●●●	Clear
SB8110DT ●●●	AF Clear
SB8116D ●●●	Sandstone Bronze
SB8120D ●●●	Gray
SB8120DT ●●●	AF Gray
SB8165D ●●●	Ice Blue Mirror
SB8170D ●●●	Silver Mirror





Rendezvous® ANSI CE BALLISTIC



Adjustable nosepiece

Temples adjust to four different lengths

Lens angle aligns to proper position for work application with ratcheting lens pitch adjustment

Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

Part No.	Black Frame
SB2810S ●●●	Clear
SB2810ST ●●●	AF Clear H2X
SB2815S ●●●	Coffee
SB2820S ●●●	Gray
SB2820ST ●●●	AF Gray H2X
SB2830S ●●●	Amber
SB2840S ●●●	Orange
SB2860S ●●●	Infinity Blue
SB2860ST ●●●	AF Infinity Blue H2X
SB2870S ●●●	Silver Mirror
SB2875S ●●●	Blue Mirror
SB2880S ●●●	I/O Mirror
Part No.	Crystal Blue Frame
SCB2810S ●●●	Clear
Part No.	Crystal Clear Frame
SCC2810S ●●●	Clear
SCC2810ST ●●●	AF Clear H2X
Part No.	Crystal Gray Frame
SCG2810ST ●●●	AF Clear H2X

ANSI Z87.1 CE EN166 CSA Z94.3 BALLISTIC

All safety eyewear meets ANSI Z87.1+ standards (●) and provides 99% protection from harmful UV rays. All lenses are hard coated polycarbonate scratch-resistant unless otherwise noted. Some options meet European EN166 (●), Canadian CSA Z94.3 (●) – SEI third-party certification or Ballistic MIL-PRF-32432 High Velocity Impact (●) standards. For specific lens options, visit our website or contact your sales representative.



Venture II® ANSI CE CSA BALLISTIC



Temples adjust to four different lengths

Rubber nosepiece secures the glass and prevents slipping

Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

Part No.	Black Frame
SB1810S ●●●	Clear
SB1810ST ●●●	AF Clear H2X
SB1820S ●●●	Gray
SB1820ST ●●●	AF Gray H2X
SB1830S ●●●	Amber
SB1835S ●●●	Sun Block Bronze
SB1840S ●●●	Orange
SB1850SF ●●●	5.0 IR Filter
SB1860S ●●●	Infinity Blue
SB1860SF ●●●	3.0 IR Filter
SB1870S ●●●	Silver Mirror
SB1875S ●●●	Blue Mirror
SB1880S ●●●	I/O Mirror
SB1880ST ●●●	AF I/O Mirror
SB1890S ●●●	Gold Mirror
Part No.	Realtree Hardwoods HD® Frame
SH1810S ●●●	Clear
SH1820S ●●●	Gray
SH1830S ●●●	Amber
Part No.	Metallic Blue Frame
SMB1810S ●●●	Clear
SMB1820S ●●●	Gray
SMB1880S ●●●	I/O Mirror
Part No.	Maroon Frame
SMM1810S ●●●	Clear
Part No.	Slate Gray Frame
SSG1810S ●●●	Clear

Forum® ANSI BALLISTIC

Adjustable rubber nosepiece
Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

Part No.	Black Frame
SB6610D ●●●	Clear
SB6610DT ●●●	AF Clear H2X
SB6620D ●●●	Gray
SB6670D ●●●	Silver Mirror
SB6680D ●●●	I/O Mirror





Venture 3® ANSI CE CSA AS BALLISTIC



- Soft, adjustable nosepiece
- Ventilated frame
- Adjustable co-injected rubber temples
- Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

Part No.	Black Frame
SB5710D ●●●●	Clear
PYSB5710D* ●●●●	Clear
SB5710DT ●●●●●	AF Clear H2X
SB5710DTM ●●●●	AF Clear H2MAX
SB5720D ●●●●●	Gray
SB5720DT ●●●●●	AF Gray H2X
SB5730D ●●●●●	Amber
PYSB5730D* ●●●●●	Amber
SB5750SFT ●●	AF 5.0 IR Filter H2X
SB5760D ●●●●●	Infinity Blue
SB5760SFT ●●	AF 3.0 IR Filter H2X
SB5770D ●●●●●	Silver Mirror
SB5780D ●●●●●	I/O Mirror

*Pyramex retail packaged product on page 42.



vimeo.com/pyramex/h2max

ANSI Z87.1 CE EN166 CSA Z94.3 AS NSZ1337 BALLISTIC

All safety eyewear meets ANSI Z87.1+ standards (●) and provide 99% protection from harmful UV rays. All lenses are hard coated polycarbonate scratch-resistant unless otherwise noted. Some options meet European EN166 (●), Canadian CSA Z94.3 (●) – SEI third-party certification, Australian AS/NZS 1337 (●) or Ballistic MIL-PRF-32432 High Velocity Impact (●) standards. For specific lens options visit our website or contact your sales representative.



Onix® Plus ANSI CE AS



- Co-injected temples
- Adjustable rubber nosepiece
- Unique 3-angle adjustable flip lens
- Outer lens flips down for applications where tinted or IR lenses are needed

Part No.	Black Frame
SB4920STP ●●	AF Clear with Gray H2X
SB4950STP ●●●	AF Clear with 5.0 IR H2X
SB4960STP ●●●●	AF Clear with 3.0 IR H2X

Onix ANSI CE AS BALLISTIC



- Ratcheting co-injected temples
- Adjustable rubber nosepiece
- Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

Part No.	Black Frame
SB4910S ●●●●	Clear
SB4910ST ●●●●●	AF Clear H2X
SB4920S ●●●●●	Gray
SB4980S ●●●●●	I/O Mirror

Part No.	Black and Green Frame
SGR4910ST ●●	AF Clear H2X

Part No.	Black and Pink Frame
SP4910S ●●	Clear
PYSP4910S* ●●●	Clear

*Pyramex retail packaged product on page 42.



PMXTREME® ANSI



Built-in rubber nosepiece

Ventilated flexible temples with rubber temple tips

Includes black lanyard cord

Part No.	Black Frame with Cord	
SB6310SP •		Clear
SB6310STP •	AF	Clear
SB6320SP •		Gray
SB6320STP •	AF	Gray
SB6330SP •		Amber
SB6345SP •		Ice Orange Mirror
SB6360SP •		Infinity Blue
SB6370SP •		Silver Mirror
SB6375SP •		Blue Mirror
SB6376SP •		Smoke Green Mirror
SB6380SP •		I/O Mirror
Part No.	Camo Frame with Cord	
SCM6310STP •	AF	Clear
SCM6318STP •	AF	Sandstone Bronze
SCM6320STP •	AF	Gray
Part No.	Red Frame with Cord	
SR6320SP •		Gray



PMXTREME Rx ANSI



Includes RX insert which accommodates -3.0 to +3.0 prescription lenses

Take insert to local optometrist for Rx lens installation

Part No.	Black Frame	
SB6310STRX •	AF	Clear
SB6320STRX •	AF	Gray



PMXTREME® LED ANSI



Super bright swiveling LED bulbs (three lumens per side) allows you to see in dark places while keeping your hands free

Built-in rubber nosepiece and rubber temples tips

The alkaline batteries provide up to 50 hours of use before replacing. Three L44 alkaline batteries per temples (six total) are included

Easy to use push button on/off switches are located at the top of each temple

Part No.	Black Frame	
SB6310SPLED •		Clear
SB6310STPLED •	AF	Clear





Avanté® ANSI



Vented frame
Flexible temples
Built-in rubber nosepiece

Part No.	Black Frame
SB4510D •	Clear
SB4520D •	Gray
SB4530D •	Amber
SB4560D •	Infinity Blue
SB4570D •	Silver Mirror
SB4575D •	Blue Mirror
SB4580D •	I/O Mirror
Part No.	Black Frame with Cord
SB4510DP •	Clear
SB4520DP •	Gray
Part No.	Gun Metal Frame
SGM4510D •	Clear
SGM4520D •	Gray
Part No.	Silver Frame
SS4510D •	Clear
SS4520D •	Gray
SS4545D •	Ice Orange Mirror
SS4580D •	I/O Mirror
SS4585D •	Ice Blue Mirror
Part No.	Silver Frame with Cord
SS4545DP •	Ice Orange Mirror
Part No.	Silver and Black Frame
SSB4510D •	Clear
SSB4520D •	Gray
SSB4570D •	Silver Mirror

ANSI Z87.1 CE EN166 CSA Z94.3

All safety eyewear meets ANSI Z87.1+ standards (•) and provides 99% protection from harmful UV rays. All lenses are hard coated polycarbonate scratch-resistant unless otherwise noted. Some options meet European EN166 (•) or Canadian CSA Z94.3 (•) – SEI third-party certification. For specific lens options visit our website or contact your sales representative.

Integra® ANSI CE CSA



Adjustable temples ensure reliable performance

Part No.	Black Frame
SB410S •••	Clear
SB410ST •	AF Clear
SB420S ••	Gray
SB430S ••	Amber
SB450SF •••	5.0 IR Filter
SB460SF •••	3.0 IR Filter
Part No.	Black Ratchet Frame
SB410SR •	Clear
Part No.	Mixed Blue Frame
SM410S •	Clear
Part No.	Blue Frame
SN410S ••	Clear
Part No.	Red, White & Blue Frame
SNWR410S •	Clear
Part No.	Red Frame
SR410S •	Clear



Flex-Zone™ ANSI CE CSA



CO-INJECTED TEMPLES
ADJUSTABLE NOSEPIECE
MULTI LENSES

Durable, flexible nylon frame and temples with patented structure for lens replacement

Ventilated adjustable nosepiece

Part No.	Black Frame
SB9210ST •••	AF Clear H2X
R9210S •••	Clear Replacement
SB9220ST •••	AF Gray H2X
R9220S •••	Gray Replacement
SB9230S •••	Amber
SB9280S •••	I/O Mirror
SB92REPL •••	Clear, PLUS Gray Replacement



Reatta® **ANSI**



Adjustable rubber nosepiece

Straight back flexible temples

Vented lens allows airflow to prevent fogging

Part No.	Charcoal Frame
SCH4810D •	Clear
SCH4810DT •	AF Clear H2X
SCH4820D •	Gray
Part No.	Charcoal and Blue Frame
SNC4810D •	Clear
SNC4820D •	Gray
SNC4880D •	I/O Mirror



Fortress® **ANSI**



Adjustable rubber nosepiece

Straight back rubber coated temple tips

Vented lens allows airflow to prevent fogging

Part No.	Black Frame
SB3710D •	Clear
SB3710DT •	AF Clear
SB3715D •	Coffee
SB3720D •	Gray
SB3730D •	Amber
SB3760D •	Infinity Blue
SB3770D •	Silver Mirror
SB3780D •	I/O Mirror
Part No.	Gray Frame
SG3710D •	Clear
Part No.	Silver Frame
SS3710D •	Clear
SS3720D •	Gray
SS3732D •	Mango
SS3770D •	Silver Mirror
SS3780D •	I/O Mirror



V2-Metal™ **ANSI CE CSA**



Spring loaded temples allows for easy positioning

Contemporary metal frame and temples fit all facial sizes

Part No.	Gun Metal Frame
SGM1810S •••	Clear
SGM1820S •••	Gray
SGM1860S •••	Infinity Blue
SGM1880S ••	I/O Mirror



Pacifica® **ANSI**



Vented rubber frame

Brow guard provides cushioned protection

Adjustable ratchet temples

Part No.	Black Frame
SB3410S •	Clear
SB3420S •	Gray



Mayan® **ANSI CE**



Integrated nosepiece

Sleek in-line ratchet temples

Part No.	Black Frame
SB2610D ••	Clear
SB2620D ••	Gray

PMXTORQ® **ANSI**



Wide, straight back temples

Ventilated nosepiece

Part No.	Black Frame
SB6910D •	Clear
SB6920D •	Gray



Gravex® **ANSI CSA**

Built-in nosepiece

Part No.	Black Frame
SB8910S ••	Clear
SB8910ST ••	AF Clear H2X
SB8920S ••	Gray
SB8980S ••	I/O Mirror

UNDERSTANDING Frameless Eyewear

Frameless eyewear perfectly couples simplicity and style allowing them to work in applications and environments where a full field of vision is ideal, if not essential. Because they are lightweight and provide the wearer with an unobstructed view, they are excellent choices for those who are required to wear eye protection for long periods of time.



Endeavor® Plus ANSI CE CSA



- Built-in brow guard
- Special dielectric hinge design
- Curved co-injected temples
- One-piece wraparound lens
- Soft adjustable nosepiece
- Foam padding is available in select options

Part No.	Black and Gray Temples	
SBG9610S ●●		Clear
SBG9610ST ●●	AF	Clear H2X
SBG9620S ●●		Gray
SBG9620ST ●●	AF	Gray H2X
SBG9630S ●●		Amber
SBG9680S ●●		I/O Mirror
Part No.	Black and Gray Temples with Foam Padding	
SBG9610STMFP ●●	AF	Clear H2MAX
SBG9620STMFP ●●	AF	Gray H2MAX
Part No.	Black and Green Temples	
SBGR9610S ●●		Clear
SBGR9620S ●●		Gray
SBGR9680S ●●		I/O Mirror
Part No.	Black and Green Temples with Foam Padding	
SBGR9610STMFP ●●	AF	Clear H2MAX
SBGR9620STMFP ●●	AF	Gray H2MAX
Part No.	Black and Pink Temples	
SBP9610S ●●		Clear



TruLock™ ANSI CE CSA



- Dielectric
- Lightweight spectacle – 21 gm
- Patented temples lock into place

Part No.	Black Temples	
SB9510S ●●●		Clear
SB9510ST ●●●	AF	Clear H2X
SB9520S ●●●		Gray
SB9520ST ●●●	AF	Gray H2X
SB9530S ●●●		Amber
SB9556S ●●●		Multi-Color Mirror
SB9580S ●●●		I/O Mirror

Watch the video

vimeo.com/pyramex/trulock



Download a FREE QR Reader to your smartphone through your phone's app store
Scan the code

TruLock Multi-Colors ANSI CE CSA

- Sold in dozen quantity only
- Comes with six assorted temple colors: red, blue, green, purple, orange and black
- Multi-pack includes two of each temple color with clear lenses
- Perfect for work areas where color coding is necessary

Part No.	Multi-Color Temples	
S9510SMP ●●●		Clear





PMXSLIM® ANSI CE AS



- Slim fit for smaller facial features
- Soft adjustable nosepiece
- Co-injected temple design includes soft rubber tips for a non-slip fit

Part No.	Black Temples
SB7110S ●●	Clear
SB7110ST ●●●	AF Clear H2X
SB7120S ●●	Gray
SB7120ST ●●●	AF Gray H2X
SB7138S ●●	Sandstone Bronze
SB7180S ●●	I/O Mirror

Itek® ANSI CE CSA AS BALLISTIC



- Soft integrated nosepiece
- Soft co-injected rubber temple tips
- Lens provides excellent side protection
- Passes Ballistic MIL-PRF-32432 High Velocity Impact standards


Part No.	Lens and Temples
S5810S ●●●●●	Clear
S5810ST ●●●●●	AF Clear H2X
S5810STM ●●●●●	AF Clear H2MAX
S5820S ●●●●●	Gray
S5820ST ●●●●●	AF Gray H2X
S5830S ●●●●●	Amber
S5860S ●●●●●	Infinity Blue
S5870S ●●●●●	Silver Mirror
S5875S ●●●●●	Blue Mirror
S5880S ●●●●●	I/O Mirror



vimeo.com/pyramex/h2max



Provoq® ANSI CSA



- Soft nosepiece
- Rubber temples

Part No.	Lens and Temples
S7210S ●●	Clear
S7210ST ●●	AF Clear
S7220S ●●	Gray
S7220ST ●●	AF Gray
S7230S ●●	Amber
S7240S ●●	Orange
S7255S ●●	Multi-Color Mirror
S7260S ●●	Infinity Blue
S7270S ●●	Silver Mirror
S7275S ●●	Blue Mirror
S7280S ●●	I/O Mirror
S7280ST ●●	AF I/O Mirror



Intrepid® II ANSI CE CSA BALLISTIC



- Nosepiece flange eliminates pressure on bridge of nose by evenly distributing weight of glass
- Flexible rubber temples provide pressure-free fit behind the ear
- Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

Part No.	Black Temples
SB8810S ●●●●●	Clear
PYSB8810S* ●●●●●	Clear
SB8820S ●●●●●	Gray
PYSB8826S* ●●●●●	Smoke Green
PYSB8827S* ●●●●●	Vermilion
SB8830S ●●●●●	Amber
SB8835S ●●●●●	Sun Block Bronze
SB8880S ●●●●●	I/O Mirror

*Pyramex retail packaged product on page 42.

Achieva® ANSI



- Brow guard
- Built-in rubber nosepiece
- Unique rubber temple tips

Part No.	Gray Temples Tips
SG6510S ●	Clear
SG6510ST ●	AF Clear H2X
SG6520S ●	Gray
Part No.	Pink Temples Tips
SP6510S ●	Clear



All safety eyewear meets ANSI Z87.1+ standards (●) and provide 99% protection from harmful UV rays. All lenses are hard coated polycarbonate scratch-resistant unless otherwise noted. Some options meet European EN166 (●), Canadian CSA Z94.3 (●) – SEI third-party certification, Australian AS/NZS 1337 (●) or Ballistic MIL-PRF-32432 High Velocity Impact (●) standards. For specific lens options visit our website or contact your sales representative.

Intruder® ANSI CE CSA



Integrated nosepiece
Lightweight frameless protection
Foam padding is available in select options

SEE PAGE
104
FOR MORE

Part No.	Lens and Temples	
S4110S ●●●		Clear
PYS4110S* ●●●		Clear
S4110ST ●●●	AF	Clear
S4110SUC ●●●		Uncoated Clear
S4120S ●●●		Gray
PYS4120S* ●●●		Gray
S4120ST ●●●	AF	Gray
S4130S ●●●		Amber
PYS4130S* ●●●		Amber
S4160S ●●●		Infinity Blue
S4170S ●●●		Silver Mirror
S4175S ●●●		Blue Mirror
S4180S ●●●		I/O Mirror
S4180ST ●●●	AF	I/O Mirror
Part No.	Foam Padded Frame	
S4110STFP ●●●	AF	Clear
S4120STFP ●●●	AF	Gray
S4180STFP ●●●	AF	I/O Mirror
Part No.	Black Temples	
SB4110S ●●●		Clear
Part No.	Blue Temples	
SN4110S ●●●		Clear
Part No.	Red Temples	
SR4110S ●●●		Clear

*Pyramex retail packaged product on page 42.



Mini Intruder ANSI

Mini Intruder has all the great features of Intruder in a design better suited for smaller facial size

Part No.	Lens and Temples	
S4110SN ●●●		Clear
S4110SNT ●●●	AF	Clear
S4120SN ●●●		Gray
S4130SN ●●●		Amber
S4180SN ●●●		I/O Mirror



Intruder and Mini Intruder Multi-Colors ANSI CE CSA

Sold in dozen quantity only
Comes with six assorted temple colors: red, blue, green, purple, orange and black
Multi-pack includes two of each temple color with clear lenses
Perfect for work areas where color coding is necessary

Part No.	Multi-Color Temples	
S4110SMP ●●●		Clear (Intruder)
S4110SNMP ●●●		Clear (Mini Intruder)



Ztek® ANSI CE CSA



Integrated nosepiece
Soft non-slip rubber temple tips provide non-binding fit

SEE PAGE
104
FOR MORE

Part No.	Lens and Temples	
S2510S ●●●		Clear
S2510ST ●●●	AF	Clear H2X
S2514S ●●●		1.5 IR Filter
S2515S ●●●		Coffee
S2520S ●●●		Gray
S2520ST ●●●	AF	Gray H2X
S2530S ●●●		Amber
S2540S ●●●		Orange
S2550SF ●●●		5.0 IR Filter
S2560S ●●●		Infinity Blue
S2560SF ●●●		3.0 IR Filter
S2560ST ●●●	AF	Infinity Blue H2X
S2565S ●●●		Purple Haze
S2570S ●●●		Silver Mirror
S2575S ●●●		Blue Mirror
S2580S ●●●		I/O Mirror
S2590S ●●●		Gold Mirror
S25ARCS ●●●		Arc

! Note: S2514S is designed for peripheral personnel and visitors who are NOT exposed to direct IR radiation. S25ARCS is great for use under the welding helmet – allowing welder to see work clearly without suffering "welder's flash burn" from surrounding welders.



Mini Ztek ANSI CE CSA

Mini Ztek has all the great features of Ztek in a design better suited for slimmer facial sizes

Part No.	Lens and Temples	
S2510SN ●●●		Clear
S2510SNT ●●●	AF	Clear H2X
S2517SN ●●●		Pink
S2520SN ●●●		Gray
S2530SN ●●●		Amber
S2560SN ●●●		Infinity Blue
S2575SN ●●●		Blue Mirror
S2580SN ●●●		I/O Mirror





Cortez® ANSI CE



Durable co-injected temples

Ribbed cushioned nosepiece

Part No.	Apple Temples
SA3610S •	Clear
Part No.	Black Temples
SB3610S ••	Clear
SB3610ST ••	AF Clear H2X
SB3620S ••	Gray
SB3680S •	I/O Mirror
Part No.	Gray Temples
SG3610S •	Clear
SG3620S •	Gray
Part No.	Navy Temples
SN3610S •	Clear
SN3660S •	Infinity Blue
Part No.	Orange Temples
S03610S •	Clear
S03620S •	Gray



ANSI Z87.1 CE EN166 CSA Z94.3

All safety eyewear meets ANSI Z87.1+ standards (•) and provides 99% protection from harmful UV rays. All lenses are hard coated polycarbonate scratch-resistant unless otherwise noted. Some options meet European EN166 (•) or Canadian CSA Z94.3 (•) – SEI third-party certification. For specific lens options visit our website or contact your sales representative.

Neshoba™ ANSI CE CSA

Frameless design with thin flexible temples

Ultra lightweight spectacle – 16 gm

Part No.	Black Temples
S9710S •••	Clear
S9710ST •••	AF Clear H2X
S9720S •••	Gray
S9720ST •••	AF Gray H2X
S9730S •••	Amber
S9780S •••	I/O Mirror



Atoka® ANSI CSA



Integrated nosepiece

Soft non-slip rubber temple tips provide non-binding fit

Part No.	Lens and Temples
S9110S ••	Clear
S9110ST ••	AF Clear
S9120S ••	Gray
S9120ST ••	AF Gray
S9130S ••	Amber
S9160S ••	Infinity Blue
S9180S ••	I/O Mirror



Alair® ANSI CE

Straight temples

Integrated nosepiece

Part No.	Lens and Temples
S3210S •••	Clear
S3210ST •••	AF Clear H2X
S3220S •••	Gray
S3260S •••	Infinity Blue
S3270S •	Silver Mirror
S3275S •	Blue Mirror
S3280S •	I/O Mirror



Surveyor® ANSI



Rubber comfort-fit temples

Soft nosepiece

Part No.	Black Temples
SB6110ST •	AF Clear
SB6120S •	Gray
SB6145S •	Ice Orange Mirror
SB6170S •	Silver Mirror



Fastrac® ANSI



Dielectric

Frame/lens combination provides maximum single lens protection

Part No.	Lens and Temples
S1410S •	Clear
S1420S •	Gray



Legacy® ANSI



Soft rubber nosepiece

Temples adjust to four settings

Part No.	Black Temples
SB2310S •	Clear
SB2320S •	Gray



GT 2000® ANSI

Frameless lightweight design

Part No.	Black Temples
SB2010S •	Clear
SB2020S •	Gray

UNDERSTANDING Over The Spectacle Eyewear

Over the spectacle eyewear is intended for those who require additional protection over their prescription glasses. They are designed with channels built in to accommodate another pair of temples, meaning you never have to remove your prescription glasses to comfortably achieve the protection you need.



OTS® and OTS XL

ANSI CE CSA AS



Designed to better fit today's prescription eyewear
Lightweight nylon temples adjust for length and pitch

Part No.	Black Temples
S3510SJ	Clear
S3510STJ	AF Clear H2X
S3520SJ	Gray
S3530SJ	Amber
S3550SFJ	5.0 IR Filter
S3560SFJ	3.0 IR Filter
S3580SJ	I/O Mirror

Part No.	Black Temples
S7510SJ	Clear
S7510STJ	AF Clear H2X
S7520SJ	Gray
S7580SJ	I/O Mirror



OTS fits over frames up to:
5 3/8" W x 1 3/4" H
(137mm x 44mm)



OTS XL fits over frames up to:
5 15/16" W x 1 15/16" H
(151mm x 49mm)



Cappture™

ANSI CE CSA



Dielectric
Temples extend from browbar to avoid interference with prescription frame's temples

Part No.	Lens and Temples
S9910ST	AF Clear H2X
S9920ST	AF Gray H2X



Solo®

ANSI CE CSA

Uncoated lenses
Temples are vented to reduce fogging

Part No.	Lens and Temples
S510S	Clear
PYS510S*	Clear
S510SD	Clear (Dispenser pack – 12 per box)
S510SJ	Clear (Jumbo)
S520S	Gray

*Pyramex retail packaged product on page 42.

Note: S510SJ are designed to be used over prescription spectacles.



Defiant®

ANSI CE



Tilt type adjustment allows optimum visibility
Temples adjust to four settings

Part No.	Black Temples
SB1010S	Clear
SB1010SJ	Clear (Jumbo)

Note: SB1010SJ are designed to be used over prescription spectacles.

ANSI Z87.1 CE EN166 CSA Z94.3 AS NSZ1337

All safety eyewear meets ANSI Z87.1+ standards (●) and provides 99% protection from harmful UV rays. All lenses are hard coated polycarbonate scratch-resistant unless otherwise noted. Some options meet European EN166 (●), Canadian CSA Z94.3 (●) – SEI third-party certification or Australian AS/NZS 1337 (●) standards. For specific lens options visit our website or contact your sales representative.

UNDERSTANDING Readers

Readers are designed to better assist those who require both safety glasses and prescription lenses. Our readers come in two forms, glasses and inserts, with anywhere from a 1.0+ to a 3.0+ magnification. Many options will also accommodate a personal Rx prescription from an optometrist.



Emerge® Plus ANSI CSA



Rubber temple tips
Soft nosepiece provides comfort for extended use

Full Readers

Part No.	Translucent Gray Frame
SG9810R15 ●●	Clear +1.5 Mag
SG9810R20 ●●	Clear +2.0 Mag
SG9810R25 ●●	Clear +2.5 Mag
SG9810R30 ●●	Clear +3.0 Mag

Top Insert Readers

Part No.	Translucent Gray Frame
SG9810TR15 ●●	Clear +1.5 Mag
SG9810TR20 ●●	Clear +2.0 Mag
SG9810TR25 ●●	Clear +2.5 Mag

Note: The top insert reader for the EmERGE Plus is strategically placed for applications in which user is frequently looking up.



ANSI Z87.1 CE EN166 CSA Z94.3

All safety eyewear meets ANSI Z87.1+ standards (●) and provides 99% protection from harmful UV rays. All lenses are hard coated polycarbonate scratch-resistant unless otherwise noted. Some options meet European EN166 (●) or Canadian CSA Z94.3 (●) – SEI third-party certification. For specific lens options visit our website or contact your sales representative.

Emerge® ANSI CE CSA




Soft nosepiece provides comfort for extended use
RX options accommodate an Rx lens to the maximum of +3 to -3 diopters
Available with a full reader +1.5 or +2.0 lens or as a prescription lens
Dual lens design with full eye protection
Plano, prescription, and full reader lens adaptable

Part No.	Black Frame
SB7910DRX ●●●	Clear
SB7910D15 ●●●	Clear +1.5 Mag
SB7910D20 ●●●	Clear +2.0 Mag
Part No.	Translucent Gray Frame
SG7910DRX ●●●	Clear
SG7910D15 ●●●	Clear +1.5 Mag
SG7910D20 ●●●	Clear +2.0 Mag
Part No.	Translucent Caramel Frame
STC7910DRX ●●	Clear
STC7910D15 ●●	Clear +1.5 Mag
STC7910D20 ●●	Clear +2.0 Mag

Note: Frame must be presented to your optometrist in order to be fitted with prescription lenses.



PMXTREME® Readers ANSI



Part No.	Black Frame with Cord
SB6310SPR15 ●	Clear +1.5 Mag
SB6310SPR20 ●	Clear +2.0 Mag
SB6310SPR25 ●	Clear +2.5 Mag



PMXTREME LED Readers ANSI



Part No.	Black Frame
SB6310STPLEDR15 ●	AF Clear +1.5 Mag
SB6310STPLEDR20 ●	AF Clear +2.0 Mag
SB6310STPLEDR25 ●	AF Clear +2.5 Mag



Venture II® Readers ANSI CE CSA



RUBBER NOSEPIECE



ADJUSTABLE TEMPLES

SEE PAGE 83 FOR MORE

Part No.	Black Frame
SB1810R10 ●●●	Clear +1.0 Mag
SB1810R15 ●●●	Clear +1.5 Mag
SB1810R15T ●●●	AF Clear H2X +1.5 Mag
SB1810R20 ●●●	Clear +2.0 Mag
SB1810R20T ●●●	AF Clear H2X +2.0 Mag
SB1810R25 ●●●	Clear +2.5 Mag
SB1810R25T ●●●	AF Clear H2X +2.5 Mag
SB1810R30 ●●●	Clear +3.0 Mag
SB1820R15 ●●●	Gray +1.5 Mag
SB1820R20 ●●●	Gray +2.0 Mag
SB1820R25 ●●●	Gray +2.5 Mag
SB1820R30 ●●●	Gray +3.0 Mag
SB1830R15 ●●●	Amber +1.5 Mag
SB1830R20 ●●●	Amber +2.0 Mag
SB1830R25 ●●●	Amber +2.5 Mag
SB1880R15 ●●●	I/O Mirror +1.5 Mag
SB1880R20 ●●●	I/O Mirror +2.0 Mag
SB1880R25 ●●●	I/O Mirror +2.5 Mag



Ztek® Readers ANSI CE CSA



RUBBER TIPS

SEE PAGE 97 FOR MORE

Part No.	Lens and Temples
S2510R15 ●●●	Clear +1.5 Mag
S2510R20 ●●●	Clear +2.0 Mag
S2510R25 ●●●	Clear +2.5 Mag
S2514R15 ●●●	1.5 IR Filter +1.5 Mag
S2514R20 ●●●	1.5 IR Filter +2.0 Mag
S2520R15 ●●●	Gray +1.5 Mag
S2520R20 ●●●	Gray +2.0 Mag
S2520R25 ●●●	Gray +2.5 Mag



Intruder® Readers ANSI

SEE PAGE 96 FOR MORE

Part No.	Lens and Temples
S4110R15 ●●●	Clear +1.5 Mag
S4110R20 ●●●	Clear +2.0 Mag
S4110R25 ●●●	Clear +2.5 Mag



V2G® Readers ANSI CSA



FOAM PADDING



INCLUDES STRAP



RATCHETING TEMPLES



VENTED FRAME

SEE PAGE 70 FOR MORE

Part No.	Black Frame
GB1810STR15 ●●●	AF Clear H2X +1.5 Mag
GB1810STR20 ●●●	AF Clear H2X +2.0 Mag
GB1810STR25 ●●●	AF Clear H2X +2.5 Mag



XSG® Readers ANSI CSA



FOAM PADDING



INCLUDES STRAP

SEE PAGE 72 FOR MORE

Part No.	Black Frame
GB4010STR15 ●●●	AF Clear H2X +1.5 Mag
GB4010STR20 ●●●	AF Clear H2X +2.0 Mag
GB4010STR25 ●●●	AF Clear H2X +2.5 Mag

UNDERSTANDING Goggles

Goggles provide protection against a variety of different potential hazards, including things like chemical splash, flying particles, wind, sun glare, and dust. No matter what unique protection your application or environment requires, with features like thermo and anti-fog lenses, open and close ventilation systems, and removable face shields, we have goggles to meet your needs.



V2G-Plus® ANSI CE CSA AS BALLISTIC



- Includes a wide adjustable elastic strap with quick release system for secure fit
- TPU frame features excellent resistance to cold and heat
- Thermo Lens System provides excellent resistance to fog caused by temperature differences in your environment
- Special indirect ventilation system located at the top and bottom of frame allows airflow and heat release
- Multi-functional goggle with 180° vision protects against chemical splash, sun glare, dust, flying particles, and wind
- Outer polycarbonate lens protects against the environment while an inner acetate lens prevents fogging
- Inner lens is separated by a thin spacer of air and sealed together with foam
- Passes Ballistic MIL-PRF-32432 High Velocity Impact standards
- Passes D3: Droplet and Splash Test – provides protection from droplets and splashes

Part No.	Black Body with Strap
GB6410SDT	AF Clear Dual Pane H2X
GB6420SDT	AF Gray Dual Pane H2X

ANSI Z87.1 CE EN166 CSA Z94.3 AS NSZ1337 BALLISTIC

All safety eyewear meets ANSI Z87.1+ standards (●) and provide 99% protection from harmful UV rays. All lenses are hard coated polycarbonate scratch-resistant unless otherwise noted. Some options meet European EN166 (●), Canadian CSA Z94.3 (●) – SEI third-party certification, Australian AS/NZS 1337 (●) or Ballistic MIL-PRF-32432 High Velocity Impact (●) standards. For specific lens options visit our website or contact your sales representative.



V2G-Plus Rx Insert

- Accommodates -3.0 to +3.0 prescription lenses
- Securely snaps into place above nosepiece
- Includes micro-fiber storage case
- Take insert to local optometrist for Rx lens installation

Part No.
RX6400



Capstone® Shield ANSI CE CSA

- Fully adjustable elastic band
- Fits over prescription glasses
- Lens is coated to prevent fogging
- GG504DTSHIELD goggle has a dual pane lens
- Soft vinyl goggle body conforms to facial contours
- Passes D3: Droplet and Splash Test – provides protection from droplets and splashes
- Removable vent caps allow the user to remove when more ventilation is required or leave in place for unsurpassed chemical splash resistance
- Goggle combined with removable shield provides full face protection
- Four ventilation holes provide airflow
- Ratchet shield allows user to open or close in three positions for adjustment
- Polycarbonate shield conforms to the face offering increased impact and dust protection

Part No.	Lens and Shield
GG504TSHIELD	AF Clear H2X
GG504DTSHIELD	AF Clear Dual Pane H2X
GG504TSHIELDIR3	AF 3.0 IR Filter H2X
GG504TSHIELDIR5	AF 5.0 IR Filter H2X

Note: Only the goggles for GG504TSHIELDIR3 and GG504TSHIELDIR5 contains IR dye. Due to the nature of the vented holes, the shield is only green tinted and does not contain the IR resin.



Capstone Face Shield and Strap

Part No.
CAPSHIELD
Ratcheting shield includes strap and clips allowing the user to add to either of the Capstone 500 Series goggles. Sold as a replacement shield for GG504TSHIELD and GG504DTSHIELD.



Disposable Capstone Shield Visors

Part No.	Part No.
VPACK6	CAPSTRAP
Pack of 6 clear disposable, tear-off visors, suitable for high dust or muddy working environments.	Not shown – strap to convert other Capstone goggles to hold VPACK6.



Capstone® RL ANSI CE CSA



- Replaceable lens
- Fits over prescription glasses
- Indirect ventilation system prevents fogging
- Co-material goggle provides superior protection against dust entry and chemical splash
- Thermoplastic (TPE) body with universal nose bridge is flexible and conforms to facial contours
- G804TRL passes D3: Droplet and Splash Test – provides protection from droplets and splashes

Part No.	Gray Body with Neoprene Strap		
G804TRL ●●●	AF	Clear	H2X
R804T ●●●	AF	Replacement Clear	H2X

Capstone Dual Lens ANSI CE CSA AS BALLISTIC



- Fully adjustable elastic strap
- Fits over prescription glasses
- Outer polycarbonate lens protects against the environment while an inner acetate lens prevents fogging
- Soft vinyl goggle body conforms to facial contours
- Provides protection against dust and chemical splash
- Removable vent caps allow the user to remove when more ventilation is required or leave in place for unsurpassed chemical splash resistance
- G504DT passes D3: Droplet and Splash Test – provides protection from droplets and splashes
- Passes Ballistic MIL-PRF-32432 High Velocity Impact standards



Part No.	Gray Body with Quick Release Strap		
G504DT ●●●●	AF	Clear Dual Pane	H2X

ANSI Z87.1 CE EN166 CSA Z94.3 AS NSZ1337 BALLISTIC

All safety eyewear meets ANSI Z87.1+ standards (●) and provide 99% protection from harmful UV rays. All lenses are hard coated polycarbonate scratch-resistant unless otherwise noted. Some options meet European EN166 (●), Canadian CSA Z94.3 (●) – SEI third-party certification, Australian AS/NZS 1337 (●) or Ballistic MIL-PRF-32432 High Velocity Impact (●) standards. For specific lens options visit our website or contact your sales representative.



Capstone® 600 Series

ANSI CE CSA AS BALLISTIC

- Fits over prescription glasses
- Indirect ventilation system prevents fogging
- Includes interchangeable cloth and neoprene straps
- Co-material goggle provides superior protection against dust entry and chemical splash
- Thermoplastic (TPE) body with universal nose bridge is flexible and contours to the user's face
- Passes D3: Droplet and Splash Test – provides protection from droplets and splashes
- Passes D4: Dust Test – provides protection from dust particles
- Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

Part No.	Gray Body with Adjustable Strap		
G604T2 ●●●●	AF	Clear	H2X

Capstone 500 Series

ANSI CE CSA AS BALLISTIC

- Fits over prescription glasses
- Soft vinyl goggle body conforms to facial contours
- Goggle provides protection against dust and chemical splash
- Removable vent caps allow the user to remove when more ventilation is required or leave in place for unsurpassed chemical splash resistance
- GG504T and GG504TM passes D3: Droplet and Splash Test – provides protection from droplets and splashes
- Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

Part No.	Gray Body with Quick Release Strap		
GG504T ●●●●	AF	Clear	H2X
GG504TM ●●●●	AF	Clear	H2MAX
Part No.	Chemical Green Body with Neoprene Strap		
GC504TN ●●	AF	Clear	H2X



Wire Mesh Goggle ANSI

Single wire mesh lens with PVC frame

Ideal for: forestry, landscaping, and agriculture applications

For work environments with extreme heat and high humidity where impact protection is required

Low profile design with wide elastic strap provides secure fit

Provides excellent eye protection for work environments with high humidity that require impact protection

Soft rubber gasket seals out unwanted particles and is comfortable for all day wear

Meets ANSI Z87.1-2015 wire screen requirements

Part No.	Black Body with Adjustable Strap
G9WMG •	Black Wire Mesh



Low-Profile Chemical Splash Goggle

ANSI CE CSA

Low-profile, modern sport design with anti-glare frame

Direct ventilation prevents fogging

Adjustable elastic band and soft PVC frame

Passes D3: Droplet and Splash Test – provides protection from droplets and splashes

Part No.	Gray Body with Black Strap
G704T •••	AF Clear
PYG704T* •	AF Clear
G724T ••	AF Gray

*Pyramex retail packaged product on page 42.



Chemical Splash Goggle ANSI

Indirect ventilation

Designed to be better suited for slimmer facial sizes

Frame is extremely soft, flexible and lightweight

Part No.	Blue Body with Adjustable Strap
GN904 •	Clear



Top Shelf Chemical Splash Goggle

ANSI CE CSA

Special one-way vent allows air in while keeping liquids out

Generously sized heavy duty body and lens

Fits over prescription spectacles

Tinted body helps reduce glare

G304TN comes with a neoprene strap

G304T passes D3: Droplet and Splash Test – provides protection from droplets and splashes

G304T passes D4: Dust Test – provides protection from dust particles

Part No.	Tinted Body with Black Strap
G304 •••	Clear
G304T •••	AF Clear H2X
Part No.	Tinted Body with Neoprene Strap
G304TN •	AF Clear H2X



Ventless Goggle ANSI

Goggle provides protection against odor vapors

Part No.	Clear Body with Black Strap
G200T •	AF Clear H2X



Perforated Goggle

ANSI CE

Goggle provides excellent ventilation

Part No.	Clear Body with Black Strap
G201 ••	Clear
G201T ••	AF Clear
PYG201T* •	AF Clear

*Pyramex retail packaged product on page 42.



Top Shelf Chemical Splash Goggle with Foam Padding

ANSI



Special one-way vent allows air to enter while keeping liquids out

Breakaway headband provides added protection and features quick-fit retainer

Fits over prescription spectacles

Tinted body helps reduce glare

Generously sized heavy duty body and lens with foam padding for comfort

Part No.	Tinted Body with Black Strap
G404T •	AF Clear H2X



Chemical Splash Goggle

ANSI CE

Vent caps restrict influx of liquids

Part No.	Clear Body with Black Strap
G204 ••	Clear
G204T ••	AF Clear
PYG204T* •	AF Clear

*Pyramex retail packaged product on page 42.


ANSI Z87.1 CE EN166 CSA Z94.3

All safety eyewear meets ANSI Z87.1+ standards (•) and provides 99% protection from harmful UV rays. All lenses are hard coated polycarbonate scratch-resistant unless otherwise noted. Some options meet European EN166 (•) or Canadian CSA Z94.3 (•) – SEI third-party certification. For specific lens options visit our website or contact your sales representative.

EYEWEAR
Accessories

EYEWEAR

EYEWEAR



Part No.
CORDS Black Lanyard Loop



Part No.
CLIPCORDS Black Clip-On Cord



Part No.
CORDS1A Black Cotton Cord



Part No.
CORDS7A Black Cord with Rubber Tips



Part No.
CORDS8A Black Breakaway Cord



Part No.
CORDS9A Black Bungee Cord



Part No.
NEOCORD Black Neoprene Breakaway Cord



Part No.
NEO1 Black Neoprene Cord



Part No.
CLEANCLOTH 7" x 6" Black Nylon Microfiber Spectacle Cleaning Cloth



Part No.
PYRBAGS 6.25" X 3.75" Black Cloth Drawstring Spectacle Bag
PYRBAGLG 9.50" X 5" Black Cloth Drawstring Spectacle Bag



Part No.
CA500B Hard Spectacle Case



Part No.
CA200B Zippered Spectacle Case



Part No.
NEOCASE Zippered Neoprene Case



Part No.
SS100 Pliable Slip on Side Shields Meets ANSI Z87.1 High Impact Requirements Only



Part No.
GALSOL Gallon of Lens Cleaning Solution



Part No.
LCC100 Canister with 100 Lens Cleaning Wet Tissues



Part No.
LCT100 100 Individually Packaged 5x8 Cleaning Towelettes
LT760 760 Individually Packaged 5x8 Cleaning Towelettes
LCTBULK 100 Individually Packaged 5x8 Cleaning Towelettes in a bag



Part No.
LCS10 8 oz. Lens Cleaning Station with 600 Tissues
LT300 Refill Tissues for LCS10 and LCS20



Part No.
LCS20 16 oz. Lens Cleaning Station with 1,200 Tissues
LCB16 16 oz. Cleaning Solution Replacement Bottle with Pump



Part No.
CRA003 60 Individually Packaged Fog Buster™ Towelettes



Part No.
DIS5BL Blue Stationary Display - holds up to 5 units (product sold separately)



Part No.
DIS5CF Stationary Display - holds up to 5 units (product sold separately)



Part No.
DIS5 Silver Corrugated Stationary Display - holds up to 5 units (product sold separately)



Part No.
DIS9 Silver Corrugated Stationary Display - holds up to 9 units (product sold separately)



Part No.
DIS9TR Stationary Display - holds up to 9 units (product sold separately)



Part No.
DISPLAY Rotating Display - holds up to 36 units (product sold separately)



Welding Helmet Certifications

Pyramex welding products have been independently tested for various standards and certifications. Use the quick key (ANSI CE CSA) on the following pages to reference product models that meet these standards and certifications. Use the dots (•••) next to each part number to reference which options meet the standards and certifications.

ANSI	• ANSI Z87.1 +
CE	• CE EN175: 1997 (shells) CE EN379: 2009-07 (filters) CE EN166: 2001 (cover plates)
CSA	• Cert. Mod. - CAN/CSA Z94.3-07 – third-party certification

IR Eyewear Features

Pyramex has an extensive line of eyewear for a variety of applications. Use the icons below to quickly find some of the most requested features for safety eyewear.

ADJUSTABLE NOSEPIECE

ADJUSTABLE TEMPLES

CO-INJECTED TEMPLES

FOAM PADDING

INCLUDES STRAP

RATCHETING TEMPLES

RUBBER NOSEPIECE

RUBBER TIPS

VENTED FRAME

IR Eyewear Certifications

Pyramex IR eyewear has been independently tested for various standards and certifications. Use the quick key (ANSI CE CSA AS BALLISTIC) on the following pages to reference product models that meet these standards and certifications. Use the dots (•••••) next to each part number to reference which options meet the standards and certifications.

ANSI	• ANSI Z87.1+ High Impact
CE	• CE EN166
CSA	• Cert. Mod. - CAN/CSA Z94.3-15 – third-party certification
AS	• AS/NZS 1337
BALLISTIC	• MIL-PRF-32432 High Velocity Impact Standards

UNDERSTANDING
Welding Helmets

Auto-darkening

Auto-darkening helmets are designed for maximum efficiency— and maximum safety. Designed to darken instantaneously at the light of a welding torch and clear up when the torch is turned off. The variable shade is intended to eliminate the process of lifting and lowering the helmet in order to see. Because an inactive lens often rests at either shade 3 or 4, seeing and starting the arc while still staying protected is easy. Auto-darkening helmets run off of solar power and batteries.

Passive

Passive helmets are known for their reliability and maintainability, which have made them staples for many welders. Though they lack many of the bells and whistles of auto-darkening helmets, they often provide better optical clarity.



ANSI Z87.1 CE EN175 | EN379 | EN166 CSA Z94.3

Welding helmets meet ANSI Z87.1+ (●) and Canadian CSA Z94.3-07 (●) standards – SEI third-party certification. Some options meet European EN175:1997 for shells, EN379:2009-7 for filters, EN166:2001 for cover plates (●) standards. For specific lens options, visit our website or contact your sales representative.

LEADHEAD®

Auto-darkening Helmets ANSI CE CSA

Note: Auto-darkening helmets are suitable for all types of electro-weldings: covered electrodes, MIG/MAG,TIG/WIG, plasma welding, cutting and laser welding (only selected models with two shade ranges, i.e.5-8 and 9-13), except for gas welding.



WHAM30 Series

- 4 / 5-8 / 9-13 stepless variable shade
- 3.858" x 3.425" (98 x 87 mm) view area
- Manual internal controls
- Four independent sensors in staggered design
- Solar cells and replaceable lithium-battery
- Grinding and welding modes
- 1/30,000 second switch speed
- 5 amps and below TIG rating
- High-impact resistant nylon
- Up to shade DIN16 at all times

Part No.	
WHAM3030AE ●	American Eagle
WHAM3030FL ●●●	Flame
WHAM3030FM ●●●	Fire Metal
WHAM3030GB ●●●	Glossy Black



WHAD60 Series

- 4 / 5-13 digital display
- 3.937" x 2.362" (100 x 60 mm) view area
- Digital internal controls
- Four independent sensors in staggered design
- Solar cells and replaceable lithium-battery
- Grinding and welding modes
- 1/30,000 second switch speed
- 5 amps and below TIG rating
- High-impact resistant nylon
- Up to shade DIN16 at all times

Part No.	
WHAD6030GB ●●●	Glossy Black
WHAD6030MB ●●●	Metallic Blue



WHAM10 Series

- 4 / 9-13 stepless variable shade
- 3.937" x 1.77" (100 x 45 mm) view area
- Manual external/internal controls
- Four independent sensors in staggered design
- Solar cells and replaceable lithium-battery
- Grinding and welding modes
- 1/30,000 second switch speed
- 5 amps and below TIG rating
- High-impact resistant nylon
- Up to shade DIN16 at all times

Part No.	
WHAM1020MB ●●●	Matte Black

WHAD60, WHAM30, and WHAM10 Series Accessories and Replacement Parts

Magnifying Inserts Part No.	
WMAG1.5	+1.5 magnifying insert – fits all
WMAG2.0	+2.0 magnifying insert – fits all
WMAG2.5	+2.5 magnifying insert – fits all
Auto-darkening helmets include a magnification lens holder.	

Replacement Covers Part No.	
ROWH10	Front cover plate – WHAM10
ROWH3060	Front cover plate – WHAM30 & WHAD60
RIWH10	Inside cover plate – WHAM10
RIWH30	Inside cover plate – WHAM30
RIWH60	Inside cover plate – WHAD60

Replacement Headgear Part No.	
WHARS1	Headgear – fits all

Replacement Filters Part No.	
WRAM10	Auto-darkening filter – WHAM10
WRAM30	Auto-darkening filter – WHAM30
WRAD60	Auto-darkening filter – WHAD60



LEADHEAD®

Passive Helmet and Goggles **ANSI CSA**



WHP100 Series

- IR shade #10 welding filter
- Lift front lens
- 4.25" x 2" [107.95 x 50.8 mm] view area
- Thermoplastic shell with nylon suspension
- Optimally balanced "shake down" helmet minimizes carbon monoxide build up
- Ample space for respirators

Part No.
WHP100 ••



WG100 Series

- IR shade #5, polycarbonate lens
- Lift front lens
- 4" x 1.75" [101.6 x 44.45 mm] view area
- Soft PVC goggle body, durable ABS lens holder
- Elastic strap holds goggle firmly in place
- Indirectly vented to reduce fogging and control the influx of liquids

Part No.
WG100 •



WG200 Series

- IR shade #5, polycarbonate lens
- Stationary front lens
- 4" x 1.75" [101.6 x 44.45 mm] view area
- Soft PVC goggle body, durable ABS lens holder
- Elastic strap holds goggle firmly in place
- Indirectly vented to reduce fogging and control the influx of liquids

Part No.
WG200 •

ANSI Z87.1 CE EN166 CSA Z94.3 AS NSZ1337 BALLISTIC

Welding products meet ANSI Z87.1+ [•] standards. Some options meet European EN166 [•], Canadian CSA Z94.3-07 [•] standards – SEI third-party certification, Australian AS/NZS 1337 [•], or Ballistic MIL-PRF-32432 [•] standards. For specific lens options, visit our website or contact your sales representative.

IR Face Shields **ANSI**



Meets ANSI Z87.1+
Tapered polycarbonate face shield
Shown with HGBR – sold separately
Part No.
S1150 • 5.0 IR Filter



Meets ANSI Z87.1+
Cylinder polycarbonate face shield
Shown with HGBR – sold separately
Part No.
S1250 • 5.0 IR Filter

IR Eyewear **ANSI CE AS BALLISTIC**



Capstone® Shield



Part No.	Lens and Shield	
GG504TSHIELDIR3 ••	AF	3.0 IR Filter H2X
GG504TSHIELDIR5 ••	AF	5.0 IR Filter H2X

! Note: Only the goggles for GG504TSHIELDIR3 and GG504TSHIELDIR5 contain IR dye. Due to the nature of the vented holes, the shield is only green tinted and does not contain the IR resin.



V2G®



Part No.	Black Frame	
GB1850SFT ••	AF	5.0 IR Filter H2X
GB1860SFT •••	AF	3.0 IR Filter H2X



IR Eyewear **ANSI CE CSA AS BALLISTIC**



Venture II®



Part No.	Black Frame
SB1850SF ●●●	5.0 IR Filter
SB1860SF ●●●	3.0 IR Filter



Venture 3®



Part No.	Black Frame
SB5750SFT ●●	AF 5.0 IR Filter H2X
SB5760SFT ●●	AF 3.0 IR Filter H2X

ANSI Z87.1 **CE** EN166 **CSA** Z94.3 **AS** NSZ1337 **BALLISTIC**

IR eyewear meets ANSI Z87.1+ (●) standards. Some options meet European EN166 (●), Canadian CSA Z94.3-15 (●) standards – SEI third-party certification, Australian AS/ NZS 1337 (●), or Ballistic MIL-PRF-32432 (●) standards. For specific lens options, visit our website or contact your sales representative.



OTS®



Part No.	Black Temples
S3550SFJ ●	5.0 IR Filter
S3560SFJ ●	3.0 IR Filter



Emerge®



Part No.	Black Frame
SB7950SF ●●	5.0 IR Filter
SB7960SF ●●	3.0 IR Filter



Integra®



Part No.	Black Frame
SB450SF ●●●	5.0 IR Filter
SB460SF ●●●	3.0 IR Filter



Ztek®



Part No.	Lens and Temples
S2514S ●●●	1.5 IR Filter
S2514R15 ●	1.5 IR Filter +1.5 Mag
S2514R20 ●	1.5 IR Filter +2.0 Mag
S2550SF ●	5.0 IR Filter
S2560SF ●	3.0 IR Filter
S25ARCS ●●	Arc

! Note: S2514S is designed for peripheral personnel and visitors who are NOT exposed to direct IR radiation. S25ARCS is great for use under the welding helmet – allowing welder to see work clearly without suffering "welder's flash burn" from surrounding welders.



Onix® Plus



Part No.	Black Frame
SB4950STP ●●●	AF Clear with 5.0 IR H2X
SB4960STP ●●●	AF Clear with 3.0 IR H2X



Hearing Features

We have an extensive line of hearing protection for a variety of applications. Use the icons below to quickly find some of the most requested features for hearing protection.



REUSABLE
EARPLUG



DISPOSABLE
EARPLUG



METAL
DETECTABLE

Hearing Certifications

Our hearing products have been independently tested for various standards and certifications. Use the quick key (ANSI CE) on the following pages to reference product models that meet these standards and certifications. Use the dots (••) next to each part number to reference which options meet the standards and certifications.

ANSI	• ANSI S3.19
CE	• CE EN 352:2002

UNDERSTANDING
ANSI S3.19 &
CE EN 352:2002

American National Standard for Hearing
Protection and Accessories

NRR United States Rating

Noise Reduction Rating (NRR) is an estimated unit of measurement used to determine the amount of sound in decibels (dB) that a hearing device is capable of blocking out when properly worn.

SNR European Rating

Single Number Rating (SNR) is an estimated unit of measurement used to determine the amount of sound in decibels (dB) that a hearing device is capable of blocking out when properly worn. SNR also rates hearing protection by the noise environments in three categories: high-frequency (H), mid-frequency (M), and low-frequency (L).



ANSI S3.19 CE EN352:02

Hearing protection meets ANSI S3.19 (●) standards. Some options meet European CE EN 352:2002 (●) standards. For more information visit our website or contact your sales representative.



BH9010 Series ANSI

NRR 22dB

Can be worn with hard hats, shields and other PPE

Adjustable and durable neckband

Ear cups tilt for optimum comfort and efficiency

Part No.

BH9010 ●



PM1010 Series ANSI

NRR 25dB

Dielectric

Detachable hook and loop strap allows for earmuff use with hard hat

Rotatable nylon headband

Part No.

PM1010 ●



CM6010 Series ANSI

NRR 27dB

Cap mounted earmuff – fits slotted hard hats

Dielectric

Easily accessible while working

Flip down over ears to use or flip up when not in use

Part No.

CM6010 ●



PM2010 Series ANSI

NRR 22dB

Dielectric

Lightweight and comfortable

Durable nylon headband

Part No.

PM2010 ●

PYPM2010* ●

*Pyramex retail packaged product on page 43.



PM3010 Series ANSI CE

NRR 26dB SNR 28dB

Height adjustment to fit all sizes

Fold-away, padded headband

Part No.

PM3010 ●●



PM9011 Series ANSI

NRR 19dB

Smaller headband is designed for a slimmer fit

Height adjustment to fit all sizes

Fold-away, padded headband

Part No.

PM9011 ●



PM80 Series ANSI CE

NRR 26dB SNR 30dB

Low-profile ear cup design

Height adjustment to fit all sizes

Fold-away, padded headband

Part No.

PM8010 ●●

PM8031 ●●

PM8041 ●●

Color

Gray

Hi-vis Lime

Hi-vis Orange



PM9010 Series ANSI

NRR 22dB

Low-profile ear cup design

Height adjustment to fit all sizes

Fold-away, padded headband

Part No.

PM9010 ●

PM9010P ●

Color

Gray

Pink



Clandestine ANSI

NRR 24dB

Electronic earmuff

Omni directional microphone

Amplifies hearing, while suppressing harmful sounds and reducing them to a safe level

External access for easy battery replacement (2 AAA batteries are included)

Part No.

VG PME10 ●

VG PME15 ●

Color

Black

Black Graphite



Sentinel ANSI

NRR 26dB

Electronic earmuff

Front facing microphone

Amplifies hearing, while suppressing harmful sounds and reducing them to a safe level

Auto shut-off after four hours

3.5 mm AUX jack for use of MP3 and mobile devices

Part No.

VG PME20 ●

VG PME26 ●

Color

Black

Powder Blue

SEE PAGE
35
FOR MORE

SEE PAGE
35
FOR MORE

UNDERSTANDING Metal Detectable Earplugs

Metal detectable earplugs are designed for those working in food manufacturing. Almost all food manufacturing facilities use some form of metal detection in order to test outgoing products, ensuring they are free from contaminants. The blue color is an important component of the earplug, too— it is a popular choice because it contrasts with most food color.

METAL DETECTABLE
earplugs can be easily
identified by this icon.



RPD3001 Series **ANSI** Metal Detectable Reusable Corded Earplugs NRR 24dB



- Metal shavings embedded in the plug and cord for metal and magnetic detectability
- Eye-catching blue color contrasts with most food products
- Three flexible rubber flanges form a secure seal
- Reusable earplugs can be cleaned with soap and water

Part No.
RPD3001 •



RPD2001 Series **ANSI** Metal Detectable Reusable Corded Earplugs NRR 27dB



- Iron ball embedded in the plug for metal and magnetic detectability
- Eye-catching blue color contrasts with most food products
- Three rubber flanges form a secure seal
- Reusable earplugs can be cleaned with soap and water

Part No.
RPD2001 •



DPD1001 Series **ANSI CE** Metal Detectable Disposable Corded Earplugs NRR 32dB SNR 36dB



- Iron ball embedded in the plug for metal and magnetic detectability
- Eye-catching blue color contrasts with most food products
- Expands to fit ear canal
- Disposable closed cell foam earplugs are resistant to dirt build up

Part No.
DPD1001 •



DPD1001MS Series **ANSI** Metal Detectable Disposable Corded Earplugs NRR 32dB



- Iron ball embedded in plug and metal shavings embedded in cord for metal and magnetic detectability
- Eye-catching blue color contrasts with most food products
- Expands to fit ear canal
- Disposable closed cell foam earplugs are resistant to dirt build up

Part No.
DPD1001MS •



RP2001 Series **ANSI CE** Reusable Corded Earplugs NRR 27dB SNR 26dB



- Three rubber flanges form a secure seal
- Reusable earplugs can be cleaned with soap and water

Part No.
RP2001 • •

PYRP2001* • • •

*Pyramex retail packaged product on page 43.



RP3001 Series **ANSI CE** Reusable Corded Earplugs NRR 24dB SNR 30dB



- Three flexible rubber flanges form a secure seal
- Reusable earplugs can be cleaned with soap and water

Part No.
RP3001 • •



DP1001 Series **ANSI CE** Disposable Corded Earplugs NRR 32dB SNR 36dB



- Expands to fit ear canal
- Disposable closed cell foam earplugs are resistant to dirt build up

Part No.
DP1001 • •





BP2000 Series ANSI

Conical Banded Earplugs

NRR 22dB

Designed for environments with intermittent noise hazards

Flexible band can rest around neck when not in use

Conical shaped earplugs that require no roll down

Includes a pair of replacement pods

Part No.

BP2000 •

ANSI S3.19 **CE EN352:02**



BP3000 Series ANSI

Conical Banded Earplugs

NRR 22dB

Designed for environments with intermittent noise hazards

Flexible band can rest around neck when not in use

Conical shaped earplugs that require no roll down

Part No.

BP3000 •

RP4000 Series ANSI

Reusable Push-in Uncorded Earplugs

NRR 25dB



REUSABLE
EARPLUG

Stem eliminates earplug contact with fingers

Three flexible rubber flanges form a secure seal

Reusable earplugs can be cleaned with soap and water

Part No.

RP4000 •



DP3000 Series ANSI

Disposable Push-in Uncorded Earplugs

NRR 30dB



DISPOSABLE
EARPLUG

No earplug roll down required

Stem eliminates earplug contact with fingers

Expands to fit ear canal

Disposable closed cell-foam earplugs are resistant to dirt build up

Part No.

DP3000 •

PD500 Series ANSI CE

Earplug Dispenser

NRR 32dB SNR 36dB

Convenient dispenser with twist knob and catch basin holds 500 pair of disposable uncorded earplugs (DP1000)

Dispenser includes 500 pair of disposable uncorded earplugs

Can be wall mounted or used as freestanding display

Part No.

PD500 • Earplug Dispenser

PD500R • Replacement 500 Pair of DP1000 Earplugs



PYRAMEX Perform At Your Peak



DP1000 Series ANSI CE

Disposable Uncorded Earplugs

NRR 32dB SNR 36dB



DISPOSABLE
EARPLUG

Expands to fit ear canal

Disposable closed cell foam earplugs are resistant to dirt build up

Part No.

DP1000 •

PYDP1000* •

PYDP1000BN* •

*Pyramex retail packaged product on page 43.



EPC12 Series NON-RATED

Earplug Clip

Black plastic clips secure corded earplugs to spectacle and also act as a lanyard

Part No.

EPC12



Hi-vis Work Wear Features

We have an extensive line of hi-vis work wear. Use the icons below to quickly find the most requested features for our safety products.



SOLID MATERIAL



MESH MATERIAL



SOLID & MESH MATERIAL



SELF EXTINGUISHING



ZIPPER CLOSURE



HOOK & LOOP



BREAKAWAY CLOSURE




REINFORCED D-RING SLOT

POCKETS

1 OUT	1 IN
-------	------

Hi-vis Work Wear Certifications

Our hi-vis work wear products have been independently tested for various standards and certifications. Use the quick key (**ANSI** **CSA**) on the following pages to reference product models that meet these standards and certifications. Use the dots (••) next to each part number to reference which options meet the standards and certifications.

ANSI	• ANSI/ISEA 107-2015
CSA	• CSA Z96-15 –  third-party certification

UNDERSTANDING
ANSI/ISEA
107-2015

American National Standard for High-Visibility
Safety Apparel and Accessories

Type R Roadway Use

Type R provides daytime and nighttime visual enhancement for workers in occupational environments, which include exposure to traffic from public access rights-of-way, roadway temporary traffic control (TTC) zones, or work vehicles and construction equipment within a roadway TTC zone.

CLASS 2 Performance

Performance Class 2 uses additional high-visibility materials, which allow design opportunities to define the human form more effectively. Compared to Performance Class 1, Class 2 high-visibility safety apparel (HVSA) has the potential to provide detection and identification for longer distances.

Source: ISEA International Safety Equipment Association

RVZ23 Series

TYPE R CLASS 2



Hi-vis lightweight polyester mesh material
Mic tabs

Part No.	Color	Sizes
RVZ2310 •	Lime	S, M, L, XL, 2XL, 3XL, 4XL, 5XL
RVZ2320 •	Orange	

RVZ21 Series

TYPE R CLASS 2



Hi-vis lightweight polyester mesh material

Part No.	Color	Sizes
RVZ2110 •	Lime	S, M, L, XL, 2XL, 3XL, 4XL, 5XL
RVZ2120 •	Orange	

RVZ22 Series

TYPE R CLASS 2



Hi-vis lightweight polyester mesh material

Part No.	Color	Sizes
RVZ2210 •	Lime	M, L, XL, 2XL, 3XL, 4XL, 5XL
RVZ2220 •	Orange	

RVZ24 Series

TYPE R CLASS 2



Hi-vis lightweight polyester solid material
on front, mesh material on back
Mic tabs

Part No.	Color	Sizes
RVZ2410 •	Lime	M, L, XL, 2XL, 3XL, 4XL, 5XL
RVZ2420 •	Orange	M, L, XL, 2XL, 3XL

RVZ26 Series

TYPE R CLASS 2



Hi-vis lightweight polyester mesh material

Part No.	Color	Sizes
RVZ2610 •	Lime	M, L, XL, 2XL, 3XL, 4XL, 5XL
RVZ2620 •	Orange	

RVHL25 Series

TYPE R CLASS 2



Hi-vis lightweight polyester mesh material

Breakaway hook and loop shoulders, sides,
and front closure

Part No.	Color	Sizes
RVHL2510BRD •	Lime	M, L, XL, 2XL, 3XL, 4XL, 5XL
RVHL2520BRD •	Orange	

RVHL27 Series

TYPE R CLASS 2



Hi-vis lightweight polyester mesh material

Breakaway hook and loop shoulders, sides,
and front closure

Clear chest pocket for badges with hook
and loop closure

Part No.	Color	Sizes
RVHL2710BR •	Lime	M, L, XL, 2XL, 3XL, 4XL, 5XL
RVHL2720BR •	Orange	

RVHLM29 Series

TYPE R CLASS 2



Hi-vis lightweight polyester mesh material

Part No.	Color	Sizes
RVHLM2910 •	Lime	M, L, XL, 2XL, 3XL

RVZ28 Series

TYPE R CLASS 2



Hi-vis lightweight polyester solid material
with black trim

Clear chest pocket for badges with hook
and loop closure

Reach-through pocket on back with
zipper closures

Metal grommets on upper front collar trim

Mic tabs

Part No.	Color	Sizes
RVZ2810 •	Lime	M, L, XL, 2XL, 3XL, 4XL, 5XL
RVZ2820 •	Orange	

RVHL29 Series

TYPE R CLASS 2



Hi-vis lightweight polyester solid material

Part No.	Color	Sizes
RVHL2910 •	Lime	S, M, L, XL, 2XL, 3XL
RVHL2920 •	Orange	M, L, XL, 2XL, 3XL

RVZ44B Series

TYPE R CLASS 2



Hi-vis lightweight polyester mesh material
with solid black front bottom

Clear chest pocket for badges with hook
and loop closure

Reach-through pocket on back with zipper
closures

Metal grommets on upper front collar and
at waist

Padded collar and mic tabs

Part No.	Color	Sizes
RVZ4410B •	Lime	M, L, XL, 2XL, 3XL, 4XL, 5XL
RVZ4420B •	Orange	

UNDERSTANDING
ANSI/ISEA
107-2015

American National Standard for High-Visibility
Safety Apparel and Accessories

Type R Roadway Use

Type R provides daytime and nighttime visual enhancement for workers in occupational environments. See page 92 for more information.

CLASS 2 Performance

Performance Class 2 uses additional high-visibility materials, which allow design opportunities to define the human form more effectively. See page 92 for more information.

Vest with SE icon are not flame resistant as defined by ANSI/ISEA 107-2015 Section 10.5, but are chemically treated to be SELF-EXTINGUISHING.

Source: ISEA International Safety Equipment Association



RTS21B Series

TYPE R CLASS 2

POCKETS
1 OUT 0 IN



Hi-vis lightweight polyester moisture-wicking t-shirt with black bottom

Part No.	Color	Sizes
RTS2110B •	Lime	M, L, XL, 2XL, 3XL, 4XL – 5XL
RTS2120B •	Orange	



RVZ21SE Series

TYPE R CLASS 2 NOT FR



POCKETS
1 OUT 1 IN



MESH MATERIAL



ZIPPER CLOSURE



SELF EXTINGUISHING

Hi-vis self-extinguishing lightweight polyester mesh material

Part No.	Color	Sizes
RVZ2110SE •	Lime	M, L, XL, 2XL, 3XL, 4XL, 5XL
RVZ2120SE •	Orange	

RVZ22SE Series

TYPE R CLASS 2 NOT FR



POCKETS
1 OUT 1 IN



MESH MATERIAL



ZIPPER CLOSURE



SELF EXTINGUISHING

Hi-vis self-extinguishing lightweight polyester mesh material

Part No.	Color	Sizes
RVZ2210SE •	Lime	M, L, XL, 2XL, 3XL, 4XL, 5XL
RVZ2220SE •	Orange	

RVZ24SE Series

TYPE R CLASS 2 NOT FR



POCKETS
5 OUT 3 IN



SOLID & MESH MATERIAL



ZIPPER CLOSURE



SELF EXTINGUISHING

Hi-vis self-extinguishing lightweight polyester solid material on front, mesh material on back

Mic tabs

Part No.	Color	Sizes
RVZ2410SE •	Lime	M, L, XL, 2XL, 3XL, 4XL, 5XL
RVZ2420SE •	Orange	

RTS21 Series

TYPE R CLASS 2



POCKETS
1 OUT 0 IN



SOLID MATERIAL

Hi-vis lightweight polyester moisture-wicking t-shirt

Part No.	Color	Sizes
RTS2110 •	Lime	M, L, XL, 2XL, 3XL, 4XL, 5XL
RTS2120 •	Orange	

RTS21NP Series

TYPE R CLASS 2



SOLID MATERIAL

Hi-vis lightweight polyester moisture-wicking t-shirt

Part No.	Color	Sizes
RTS2110NP •	Lime	M, L, XL, 2XL, 3XL, 4XL, 5XL

RTS23 Series

TYPE R CLASS 2



POCKETS
1 OUT 0 IN



SOLID MATERIAL

Hi-vis lightweight polyester moisture-wicking t-shirt with black side panels

Reflective material heat transferred in broken pattern for long lasting durability

Part No.	Color	Sizes
RTS2310 •	Lime	M, L, XL, 2XL, 3XL, 4XL

UNDERSTANDING
CSA Z96-15

CSA Standard for High-Visibility Safety Apparel

CLASS 2 Performance

Performance Class 2 provides moderate body coverage and superior visibility. To comply with CSA standard apparel has to fully cover the upper torso (front, back, sides and over the shoulders) with the reflective striping composed of retro-reflective or combined performance materials.

Level 2 Retro-reflective

Level 2 is the highest retro-reflective performance material and is visible under dark conditions from a great distance. Retro-reflective material also reflects light produced by the headlights of oncoming traffic back to the vehicle operator.

X-BACK configuration is mandatory in Canada, but can be used for ANSI apparel.

X-back is used to distinguish whether a worker is facing toward or facing away from a hazard.

Source: CSA Group



RCZ21 Series

CSA LEVEL 2 CLASS 2 ANSI TYPE R CLASS 2



Hi-vis lightweight polyester mesh material

Part No.	Color	Sizes
RCZ2110 ••	Lime	M, L, XL, 2XL, 3XL,
RCZ2120 ••	Orange	4XL, 5XL

RCZ24 Series

CSA LEVEL 2 CLASS 2 ANSI TYPE R CLASS 2




Hi-vis lightweight polyester solid material on front, mesh material on back

Mic tabs

Part No.	Color	Sizes
RCZ2410 ••	Lime	M, L, XL, 2XL, 3XL,
RCZ2420 ••	Orange	4XL, 5XL

RCTS21 Series

CSA LEVEL 2 CLASS 2 ANSI TYPE R CLASS 2



Hi-vis lightweight polyester moisture-wicking t-shirt

Part No.	Color	Sizes
RCTS2110 ••	Lime	M, L, XL, 2XL, 3XL, 4XL, 5XL

RCA25 Series

CSA LEVEL 2 CLASS 2 ANSI TYPE R CLASS 2



Hi-vis lightweight polyester mesh material

Breakaway hook and loop shoulders, sides and front closure

Adjustable waist band

Part No.	Color	Sizes
RCA2510M ••	Lime	Medium adjusts to XL
RCA2510X2 ••	Lime	2XL adjusts to 5XL
RCA2520M ••	Orange	Medium adjusts to XL
RCA2520X2 ••	Orange	2XL adjusts to 5XL

RCA27 Series

CSA LEVEL 2 CLASS 2 ANSI TYPE R CLASS 2



Hi-vis lightweight polyester mesh material

Breakaway hook and loop shoulders, sides and front closure

Adjustable waist band

Part No.	Color	Sizes
RCA2710M ••	Lime	Medium adjusts to XL
RCA2710X2 ••	Lime	2XL adjusts to 5XL
RCA2720M ••	Orange	Medium adjusts to XL
RCA2720X2 ••	Orange	2XL adjusts to 5XL

RCMS28 Series

CSA LEVEL 2 CLASS 2 ANSI TYPE R CLASS 2



Hi-vis solid polyester

Metal snap front closure

Metal grommets on upper front collar trim

Reach-through pocket on back with zipper closures

Flashlight pocket

Mic tabs

Part No.	Color	Sizes
RCMS2810 ••	Lime	M, L, XL, 2XL, 3XL, 4XL, 5XL

RCMS28SE Series

CSA LEVEL 2 CLASS 2 NOT FR

ANSI TYPE R CLASS 2 NOT FR



RCMS28SE vests have the same features as RCMS28, but are chemically treated to be self-extinguishing

Part No.	Color	Sizes
RCMS2810SE ••	Lime	M, L, XL, 2XL, 3XL, 4XL, 5XL

RCA25SE Series

CSA LEVEL 2 CLASS 2 NOT FR

ANSI TYPE R CLASS 2 NOT FR



RCA25SE vests have the same features as RCA25, but are chemically treated to be self-extinguishing

Part No.	Color	Sizes
RCA2510SEM ••	Lime	Medium adjusts to XL
RCA2510SEX2 ••	Lime	2XL adjusts to 5XL
RCA2520SEM ••	Orange	Medium adjusts to XL
RCA2520SEX2 ••	Orange	2XL adjusts to 5XL

RCA27SE Series

CSA LEVEL 2 CLASS 2 NOT FR

ANSI TYPE R CLASS 2 NOT FR



RCA27SE vests have the same features as RCA27, but are chemically treated to be self-extinguishing

Part No.	Color	Sizes
RCA2710SEM ••	Lime	Medium adjusts to XL
RCA2710SEX2 ••	Lime	2XL adjusts to 5XL
RCA2720SEM ••	Orange	Medium adjusts to XL
RCA2720SEX2 ••	Orange	2XL adjusts to 5XL

UNDERSTANDING
ANSI/ISEA
107-2015

American National Standard for High-Visibility
Safety Apparel and Accessories

Type R Roadway Use

Type R provides daytime and nighttime visual enhancement for workers in occupational environments, which include exposure to traffic from public access rights-of-way, roadway temporary traffic control (TTC) zones, or work vehicles and construction equipment within a roadway TTC zone.

CLASS 3 Performance

Performance Class 3 can offer greater visibility through a full range of body movements in both complex and non-complex backgrounds by having retro-reflective and combined performance materials on sleeves.

Source: ISEA International Safety Equipment Association



ANSI 107-15

Hi-vis work wear meets ANSI/ISEA 107-2015 (●) standards. For specific options, visit our website or contact your sales representative.

RVZ34 Series

TYPE R CLASS 3

POCKETS
5 OUT
3 IN



SOLID & MESH
MATERIAL



ZIPPER
CLOSURE

Hi-vis lightweight polyester solid material on front, mesh material on back

Mic tabs

Part No.	Color	Sizes
RVZ3410 ●	Lime	M, L, XL, 2XL, 3XL, 4XL, 5XL
RVZ3420 ●	Orange	



RVZ31 Series

TYPE R CLASS 3

POCKETS
3 OUT
4 IN



MESH
MATERIAL



ZIPPER
CLOSURE



Hi-vis lightweight polyester mesh material

Part No.	Color	Sizes
RVZ3110 ●	Lime	M, L, XL, 2XL, 3XL, 4XL, 5XL
RVZ3120 ●	Orange	

RLTS31 Series

TYPE R CLASS 3

POCKETS
1 OUT
0 IN



SOLID
MATERIAL



Hi-vis lightweight polyester moisture-wicking long sleeve t-shirt

Part No.	Color	Sizes
RLTS3110 ●	Lime	M, L, XL, 2XL, 3XL, 4XL, 5XL

RLTS31B Series

TYPE R CLASS 3

POCKETS
1 OUT
0 IN



SOLID
MATERIAL



Hi-vis lightweight polyester moisture-wicking long sleeve t-shirt with black bottom

Part No.	Color	Sizes
RLTS3110B ●	Lime	M, L, XL, 2XL, 3XL, 4XL, 5XL
RLTS3120B ●	Orange	

RJ31 Series

TYPE R CLASS 3



POCKETS
5 OUT 3 IN

SOLID MATERIAL

ZIPPER CLOSURE

- Weatherproof polyester shell with zip-out polar fleece liner
- Weatherproof elastic band at the waist and wrists
- Concealed detachable hood
- Cell phone/radio chest pocket with clear panel on outside shell
- Mic tabs and pencil pocket

Part No.	Color	Sizes
RJ3110 •	Lime	M, L, XL, 2XL, 3XL, 4XL, 5XL
RJ3120 •	Orange	

RJR33 Series

TYPE R CLASS 3 with sleeves hi-vis side only
TYPE R CLASS 2 without sleeves hi-vis side only

POCKETS
4 OUT 3 IN

Hi-vis Black

SOLID MATERIAL

ZIPPER CLOSURE

- Water repellant 4-in-1 reversible quilted polyfil jacket
- Removable, zip-out sleeves – converts Class 3 jacket to Class 2 vest
- Reverses from hi-vis lime/black bottom to all black
- Silver reflective tape on hi-vis side

Part No.	Color	Sizes
RJR3310 •	Lime Black	M, L, XL, 2XL, 3XL, 4XL, 5XL

RJ32 Series

TYPE R CLASS 3



POCKETS
4 OUT 1 IN

SOLID MATERIAL

ZIPPER CLOSURE

- Weatherproof polyester shell with quilted lining
- Weatherproof elastic band at the waist and wrists
- Concealed hood
- Cell phone/radio chest pocket with clear panel on outside shell
- Mic tabs and pencil pocket

Part No.	Color	Sizes
RJ3210 •	Lime	M, L, XL, 2XL, 3XL, 4XL, 5XL



RJR34 Series

TYPE R CLASS 3 with sleeves hi-vis side only
TYPE R CLASS 2 without sleeves hi-vis side only

POCKETS
3 OUT 3 IN

Hi-vis Gray Black

SOLID MATERIAL

ZIPPER CLOSURE

- Water resistant 4-in-1 reversible windbreaker polyester jacket
- Weatherproof elastic band at wrists
- Removable, zip-out sleeves – converts Class 3 jacket to Class 2 vest
- Reverses from hi-vis lime to gray/black
- Silver reflective tape on hi-vis side
- Hi-vis reflective piping on gray/black side
- Bottom hem adjustment — bungee cord/toggle pull
- Mic tab on hi-vis side

Part No.	Color	Sizes
RJR3410 •	Lime Black Gray	M, L, XL, 2XL, 3XL, 4XL, 5XL



RSSH32 Series

TYPE R CLASS 3



POCKETS
1 OUT 0 IN

SOLID MATERIAL

- 100% polyester 280g/m2 fleece
- Elastic knit at wrists and waist
- Pull over type sweat shirt with hood
- Mesh lined hood with adjustable pull cord
- 1 large front pocket

Part No.	Color	Sizes
RSSH3210 •	Lime	M, L, XL, 2XL, 3XL, 4XL, 5XL

RSZH32 Series

TYPE R CLASS 3



POCKETS
2 OUT 0 IN

SOLID MATERIAL

ZIPPER CLOSURE

- 100% polyester 280 g/m2 fleece
- Elastic knit at wrists and waist
- Mesh lined hood with adjustable pull cord
- 2 outside pockets

Part No.	Color	Sizes
RSZH3210 •	Lime	M, L, XL, 2XL, 3XL, 4XL, 5XL

ANSI 107-15

Hi-vis work wear meets ANSI/ISEA 107-2015 (•) standards. For specific options, visit our website or contact your sales representative.


UNDERSTANDING
NON-RATED

Non-rated high-visibility safety apparel (HVSA) is intended for workers who will be performing their job in areas where there is separation from moving traffic or equipment and the speeds do not exceed 25 mph. These workers include, but are not limited to: parking lot attendants, warehouse workers, event volunteers, maintenance workers or site visitors.



RTS21NS Series

NON-RATED




Hi-vis lightweight polyester moisture wicking t-shirt

Part No.	Color	Sizes
RTS2110NS	Lime	M, L, XL, 2XL, 3XL, 4XL, 5XL

RLTS31NS Series

NON-RATED



Hi-vis lightweight polyester moisture wicking long sleeve t-shirt

Part No.	Color	Sizes
RLTS3110NS	Lime	M, L, XL, 2XL, 3XL, 4XL, 5XL

RH1 Series

NON-RATED



100% acrylic knit cap
Reflective stripe

Part No.	Color	Size
RH110	Lime	One Size Fits Most
RH120	Orange	

RV1 Series

NON-RATED



Hi-vis lightweight polyester mesh material
Elastic side straps

Part No.	Color	Size
RV110	Lime	One Size Fits Most
PYRV110*	Lime	
RV120	Orange	
PYRV120*	Orange	

*Pyramex retail packaged product on page 43.

RV1NS Series

NON-RATED



Hi-vis lightweight polyester mesh material
Elastic side straps

Part No.	Color	Size
RV110NS	Lime	One Size Fits Most
RV120NS	Orange	

Balaclava

NON-RATED



Balaclava can be worn in a variety of ways from face mask to neck gaiter
Mesh breathing panels increase airflow while minimizing condensation on your eyewear

Self-extinguishing thermal fleece and mesh material

Use for freezer workwear, warehouse workwear, construction, skiing, snowboarding, ATVing, and hunting

Part No.	Size
BL111	One Size Fits Most



Glove Certifications

Pyramex work gloves have been independently tested for various standards and certifications. Use the quick key (**ANSI** **CE**) on the following pages to reference product models that meet these standards and certifications. Use the dots (••) next to each part number to reference which options meet the standards and certifications.

ANSI	• ANSI/ISEA 105-2016
CE	• EN388:2003

UNDERSTANDING
ANSI/ISEA 105-2016
& CE EN388:2003

ANSI USA Standards

ANSI standard features cut ratings that range from A1 through A9. Cut ratings are based on the grams of weight needed to cut through the material. Our ANSI cut level glove options include A2 (500-999 grams to cut), A3 (1,000-1,499 grams to cut) and A4 (1,500-2,199 grams to cut).

ANSI CUT
LEVEL
A4

CE EN European Standards

CE EN388 standard features abrasion, cut, tear and puncture ratings. Abrasion ratings are based on the number of cycles required to abrade through the sample glove. Cut ratings are based on the number of cycles required to cut through the sample at a constant speed. Tear ratings are based on the amount of force required to tear the sample. Puncture ratings are based on the amount of force required to pierce the sample with a standard-sized point.

EN388
2121
Cat.II

Abrasion Rated 1-4	Circular Blade Cut Rated 1-5	Tear Rated 1-4	Puncture Rated 1-4
--------------------------	------------------------------------	----------------------	--------------------------



ANSI 105 CE EN388

PU (Polyurethane) Gloves
Poly-Torq™



GL401 Series CE

EN388
4131
Cat.II

- 13 gauge nylon liner
- Tear and abrasion resistant
- Low particulate shed
- Grips well without being sticky
- Offers tactile sensitivity and dexterity

Part No.	Sizes
GL401 •	S, M, L, XL, 2XL



GL402C5 Series ANSI CE

ANSI CUT
LEVEL
A4
EN388
4543
Cat.II

- 13 gauge cut-resistant HPPE liner
- Tear and abrasion resistant
- Low particulate shed
- Grips well without being sticky
- Offers tactile sensitivity and dexterity

Part No.	Sizes
GL402C5 ••	S, M, L, XL, 2XL

Crinkle Latex Gloves
ArchonX™



GL501C5 Series ANSI CE

ANSI CUT
LEVEL
A4
EN388
3542
Cat.II

- 13 gauge cut-resistant HPPE liner
- Tear and abrasion resistant
- High elasticity and grip
- Crinkle latex palm suited for wet and dry conditions
- Flexible and durable over a wide range of temperatures

Part No.	Sizes
GL501C5 ••	S, M, L, XL, 2XL

Micro-Foam Nitrile Gloves
CorXcel™



GL601 Series CE

EN388
4131
Cat.II

- 15 gauge nylon and spandex liner (silicone free)
- Tear and abrasion resistant
- Foam nitrile absorbs oil to increase grip
- Additional foam coating acts like a sponge, helps increase gripping power
- Offers tactile sensitivity and dexterity

Part No.	Sizes
GL601 •	S, M, L, XL, 2XL



GL602C3 Series ANSI CE

ANSI CUT
LEVEL
A2
EN388
4342
Cat.II

- 13 gauge cut-resistant HPPE liner
- Tear and abrasion resistant
- Foam nitrile absorbs oil to increase grip
- Additional foam coating acts like a sponge, helps increase gripping power

Part No.	Sizes
GL602C3 ••	S, M, L, XL, 2XL



GL603C5 Series ANSI CE

ANSI CUT
LEVEL
A4
EN388
4543
Cat.II

- 13 gauge cut-resistant HPPE liner
- Tear and abrasion resistant
- Black color does not show dirt or grime
- Foam nitrile absorbs oil to increase grip
- Additional foam coating acts like a sponge, helps increase gripping power

Part No.	Sizes
GL603C5 ••	S, M, L, XL, 2XL

Sandy Nitrile Gloves
CorXcel™



GL604C5 Series ANSI CE

ANSI CUT
LEVEL
A4
EN388
4543
Cat.II

- 13 gauge cut-resistant HPPE liner
- Sandy coating gives outstanding grip in dry, wet and oily conditions
- Tear and abrasion resistant

Part No.	Sizes
GL604C5 ••	S, M, L, XL, 2XL



Gloves meet European EN388:2003 (•) standards. Some meet ANSI/ISEA 105-2016 (••) standards. For specific options visit our website or contact your sales representative.



GL101 Series CE

 EN388 2121  Cat.II

Two layers of stretchable spandex for comfort and breathability
Touch screen function on 2 fingers and thumb

Part No.	Sizes
GL101 •	S, M, L, XL, 2XL



GL102 Series CE

 EN388 3241  Cat.II

Two layers of stretchable spandex plus mesh fabric on back for comfort and breathability
Touch screen function on two fingers and thumb
Silicone patch on palm for anti-slip and better grip
Thick embossed neoprene on knuckle for added protection
Synthetic leather patches on palm for added protection and comfort

Part No.	Sizes
GL102 •	S, M, L, XL, 2XL



GL201 Series CE

 EN388 2121  Cat.II

Two layers of stretchable spandex on back for added comfort
TPR on three fingers for impact protection
EVA on index finger back for anti-shock protection
PVC patches with EVA padding on palm for good abrasion and vibration resistance
Soft terry cloth on the back of the thumb for brow-wiping

Part No.	Sizes
GL201 •	S, M, L, XL, 2XL



GL801 Series CE



 EN388 3141  Cat.II

TPR impact protection on back of fingers and knuckles
Two layers of stretchable spandex on back for added comfort
Rough PVC palm for high abrasion protection and good grip
High visibility colors
Longer neoprene cuff to cover shirt/coverall cuffs

Part No.	Sizes
GL801 •	S, M, L, XL, 2XL



GL801CR Series ANSI CE

 ANSI CUT LEVEL A3  EN388 3541  Cat.II

Cut-resistant inner liner
Two layers of stretchable spandex on back for added comfort
TPR impact protection on back of fingers and knuckles
Rough PVC palm for high abrasion protection and good grip
High visibility colors
Longer neoprene cuff to cover shirt/coverall cuffs

Part No.	Sizes
GL801CR •	S, M, L, XL, 2XL



Glove Clips

Keeps gloves handy by clipping to your belt loop or tool belt
Breakaway feature for safety

Part No.	Color
GLC100	Black
GLC120	Lime




Cooling Products

We have expanded our cooling line to an array of options that include cooling towels, hard hat pads, bandanas and neck shades.

Heat exhaustion is a serious concern for the tireless worker.

No matter how hot it gets, you can keep working and stay sharp with Pyramex high performance cooling products. The heat index, which takes both temperature and humidity into account, is a useful tool to determine when it is too hot for workers. In 2014, 2,630 workers suffered from heat illness and 18 died from heat stroke/related causes on the job. Know the signs of heat exhaustion and heat stroke before they strike. If workers are given the proper PPE, heat illnesses and deaths are preventable.





C160 Series NON-RATED
Cooling Towel

Evaporative advanced PVA material holds water without feeling heavy

Anti-microbial treated to help prevent mold build-up and unwanted odors

To activate, simply soak in cool water

Reusable – just reactivate

Machine washable

Part No.	Color	Size
C160	Blue	26 x 17 inches



CBD12PK Series NON-RATED
Cooling Bandanas

Evaporative advanced PVA material liner provides hours of heat stress relief

Conveniently ties around neck or head

To activate, simply soak in cool water

Reusable – just reactivate

Machine washable

Part No.	Color	Size
CBD12PKBLU	Blue	One size fits most
CBD12PKDC		
CBD12PKLIME	Lime	
CBD12PKSTAR		



C260 Series NON-RATED
Cooling Towel Wrap

Evaporative advanced PVA material holds water without feeling heavy

Anti-microbial treated to help prevent mold build-up and unwanted odors

Use as a neck wrap by pulling end of wrap through slit

To activate, simply soak in cool water

Reusable – just reactivate

Machine washable

Part No.	Color	Size
C260	Blue	26 x 8.5 inches



CSK1 Series NON-RATED
Moisture-wicking Skull Cap

Moisture-wicking soft material

Traps sweat, keeping it out of your eyes

Fits under hard hats

Machine washable

Part No.	Color	Size
CSK111	Black	One size fits most
CSK1FLG		



C330 Series NON-RATED
Moisture-wicking Cooling Towel

Moisture-wicking microfiber material

Hi-vis material for greater visibility

Provides hours of cooling relief by regulating the body's core temperature

Reusable – simply soak in cool water

Machine washable

Part No.	Color	Size
C330	Lime	11.5 x 33 inches



CSKT2 Series NON-RATED
Moisture-wicking Skull Cap with Ties

Moisture-wicking soft material

Traps & absorbs sweat, keeping it out of your eyes

Designed for easy tying

Machine washable

Part No.	Color	Size
CSKT212	Gray	One size fits most
CSKT260	Blue	



CPH160 Series NON-RATED
Cooling Hard Hat Pad

Evaporative cooling material provides hours of heat stress relief

Fits on the suspension of cap style and full brim hard hats with hook and loop closures

To activate, soak in cool water

Reusable – just reactivate

Shown with Ridgeline® hard hat – sold separately

Part No.	Color	Size
CPH160	Blue	One size fits most



CNS1 Series NON-RATED
Cooling Hard Hat Pad and Neck Shade

Soft evaporative quilted cooling material keeps your head cool and blocks sun from your neck

Hi-vis material for greater visibility

Fits on the suspension of cap style and full brim hard hats with hook and loop closures

To activate, soak in cool water

Reusable – just reactivate

Shown with Ridgeline hard hat – sold separately

Part No.	Color	Size
CNS130	Lime	One size fits most
CNS140	Orange	



HPSHADE Series NON-RATED
Hard Hat Brim with Neck Shade

Soft lightweight material

Hi-vis material for greater visibility

Blocks sun from your face and neck on job sites lacking other forms of shade

Fits on the outside of cap style and full brim hard hats

Shown with Ridgeline hard hat – sold separately

Part No.	Color	Size
HPSHADE30	Lime	One size fits most



Ergonomics

We understand there's nothing routine about your job. That's why we've got you covered with back supports, wrist supports, knee supports, knee pads, and elbow sleeves. We don't want you just to work— we want you to work safely and comfortably during those long-hour shifts. It's Pyramex's mission to make your work more efficient and serve you down to the vital necessities.

UNDERSTANDING
ERGONOMICS

Back Support

Stabilizes the spine, supports the abdomen and lower back, and prompts proper lifting

Wrist Support

Helps immobilize the joint and provides heat and compression to the wrist, bones, and joints

Elbow Sleeve

Helps the blood circulate better and reduces recovery time from injury

Knee Sleeve

Helps protect the knee from future injury or risk of damage

Knee Pads

Helps protect injury from falls and provides padding for extended kneeling



BBS500 Series NON-RATED

High Performance Back Support

Elastic 9-inch body for extra firm support

Stretchable bias binding with zig-zag stitching


Adjustable suspenders with innovative buckle panel

Plastic support stays

Ventilated, durable elastic body with two hook and loop fastening compression straps

Washable and shrink resistant

Part No.	Sizes
BBS500	S, M, L, XL, 2XL, 3XL



BBS300 Series NON-RATED

General Use Back Support – Light Weight

Elastic 8-inch body for extra firm support

Stretchable bias binding with zig-zag stitching

Economical spandex elastic body

Breathable mesh on the lumbar pad position

Non-conductive polypropylene stays

Adjustable, detachable suspenders with wide hook and loop fabric

Washable and shrink resistant

Part No.	Sizes
BBS300	S, M, L, XL, 2XL, 3XL



BBS100 Series NON-RATED

General Use Back Support – Economy Weight

Constructed from lightweight, durable material

Plastic support stays

Features breakaway suspenders

2 overlap style adjustable panels

Contoured shape allows flexibility and complete freedom of movement

Washable and shrink resistant

Part No.	Sizes
BBS100	S, M, L, XL, 2XL, 3XL



BES500 Series NON-RATED

Ambidextrous Elbow Sleeve with Strap

Buckle with hook and loop closure and adjustable cinch strap

Neoprene four-way stretch fabric provides uniform support and warmth

Binding and pre-curve design with spandex mesh behind the elbow

Washable and shrink resistant

Part No.	Sizes
BES500	S, M, L, XL, 2XL



BKS500 Series NON-RATED

Ambidextrous Knee Sleeve with Open Patella and Straps

Neoprene four-way stretch fabric provides uniform support and warmth

Contoured design conforms to the leg's natural shape

Foam anterior pad

Straps are made from durable woven elastic for support and comfort

Two hook and loop closures

Washable and shrink resistant

Part No.	Sizes
BKS500	S, M, L, XL, 2XL



BWS500 Series NON-RATED

Wrist Wrap with Thumb Restrainer

Ambidextrous, neoprene four-way stretch fabric provides uniform support and warmth

Straps are made from durable woven elastic for support and comfort

Hook and loop closure

Washable and shrink resistant

Part No.	Sizes
BWS500	S, M, L, XL



BKP100 Series NON-RATED
Economy Light Duty Knee Pads

- Wide and long for wraparound comfort
- Durable 600D polyester fabric cover
- 15mm closed cell foam padding
- Injection plastic button/clip strap connectors provide easy adjustment and secure fit
- Washable and shrink resistant

Part No.	Size
BKP100	One size fits most



BKP200 Series NON-RATED
Hard Cap Knee Pads

- Smooth hard cap attached with nickel plated grommets easily slides over various surfaces
- Durable 600D polyester fabric
- 15mm EVA foam padding
- Anti-bacterial treatment
- Injection plastic button/clip strap connectors provide easy adjustment and secure fit
- Washable and shrink resistant

Part No.	Size
BKP200	One size fits most



BKP200NM Series NON-RATED
Non-Marring Rubber Knee Pads

- Rubber non-marring cap attached with nickel plated grommets avoid damage or marking to sensitive work areas
- Durable 600D polyester fabric
- 15mm EVA foam padding
- Anti-bacterial treatment
- Injection plastic button/clip strap connectors provide easy adjustment and secure fit
- Washable and shrink resistant

Part No.	Size
BKP200NM	One size fits most

Product Offerings



From our first offering of safety glasses, we have expanded into head protection, hearing protection, hi-vis work wear, welding products, ergonomic supports, N95 respirators, gloves and cooling products. As our product lines grow, so do we as a company.

Headgear 46 – 61

Adapters • Baseball Bump Caps • Face Shields • Forestry Kits • Headlamp • N95 Respirators • New Hire Kits • Reflective Hard Hat Stickers • Ridgeline® Bump Caps • Ridgeline Cap Style • Ridgeline Full Brim • Ridgeline Headgear • Ridgeline Hydro Dipped • SL Series Cap Style • SL Series Full Brim • SL Series Sleek Shell

Eyewear 62 – 115

Sealed • Foam Padded • Full Frame • Half Frame • Frameless • Over the Spectacles • Readers • Goggles • Cords • Cases • Lens Cleaning • Displays

Welding 116 – 123

Auto-darkening Helmets • IR Eyewear • IR Face Shields • Passive Goggles • Passive Helmet

Hearing 124 – 131

Banded Earplugs • Corded Earplugs • Earmuffs • Electronic Earmuffs • Metal Detectable Earplugs • Push-in Earplugs • Uncorded Earplugs

Hi-vis Work Wear 132 – 145

Canadian Vests • Canadian T-shirt • Class 2 Vests • Class 2 T-shirts • Class 3 Vests • Class 3 T-shirts • Class 3 Jackets • Non-rated T-shirts • Non-rated Vests • Knit Caps • Balaclavas

Gloves 146 – 151

Crinkle Latex • Micro-Foam Nitrile • (PU) Polyurethane • Sandy Nitrile • Synthetic Leather • Glove Clips

Cooling 152 – 155

Bandanas • Hard Hat Pad • Neck Shade • Skull Caps • Towels

Ergonomics 156 – 161

Back Support • Elbow Sleeve • Knee Pads • Knee Sleeve • Wrist Wrap



Industrial Solutions 44 – 161

BY OFFERING A FULL LINE OF PPE
Work gets tough. We believe that finding the perfect safety gear shouldn't be. Let us assist you in finding the right solution for your specific needs.

BY PROVIDING INNOVATIVE DESIGN
Safety is our top priority, which makes providing safety gear that fits at the forefront of innovation our number one goal. A long history of listening to the needs of our customers has allowed us to introduce products like the I-Force® with H2X anti-fog technology and the lightweight Ridgeline® hard hat made out of ABS material.

BY PUTTING CUSTOMERS FIRST
Without our customers, we couldn't do what we do, and we are always working to better your experience no matter if you are local or global. We not only offer product customization but also private label solutions for customers looking to promote their business. Additionally, when you call in, you speak directly to one of the many knowledgeable members of our Customer Service team, meaning you receive real solutions without the wait. Also enjoy same day shipping as well as a risk-free 90 day guarantee.



Retail Solutions 8 – 43

Eyewear • Earmuffs • Electronic Earmuffs • Combo Kits • Displays

PROGRAMS CUSTOMIZED FOR YOU
Our proven programs are customized, offering you flexible solutions that produce keystone margins while allowing for multiple turns on inventory. With our personalized customer service experience, you receive the tailored support you require to maximize sales.

BRANDS YOUR CUSTOMERS KNOW
Through working closely with major distributors, buy groups, and co-ops, we are able to offer you competitive pricing on some of the most well-known brands on the market, including Carhartt®, Ducks Unlimited®, Venture Gear® and Venture Gear Tactical®.



MERCHANDISING SOLUTIONS
Our branded displays allow you to maximize floor space. We also put your needs first by offering customized planograms and retail-ready packaging.

There's more to see at
PYRAMEXSAFETY.COM
Pyramex Safety is excited to introduce our new website and customer account access portal. This service will help you *Perform At Your Peak.*

A full-page photograph of a construction worker. The worker is a man with a beard and mustache, wearing safety glasses and a black hard hat with a bright green rectangular sticker on the front. He is wearing a red t-shirt with a graphic that says "OCEAN AND SURF SHOP" and "PEACE ON EARTH". He is also wearing a tool belt and work gloves. He is standing in front of a large red bucket on a construction site. The background is bright and sunny, with some trees and construction equipment visible. The overall tone is professional and focused.

Pyramex PROMISE

At Pyramex, our promise to our customers is to provide the best possible products, the best possible service, and most importantly, an attitude of making our customers' lives easier on a day-to-day basis. Our values challenge us toward a commitment to truth and to deliver what we promise.



There's more to see at

PyramexSafety.com