

Jackson

PROFESSIONAL TOOLS



FULL LINE CATALOG

Jackson®

PROFESSIONAL TOOLS

Jackson® Professional Tools has been delivering uncompromising performance for over 140 years. Since 1876, these hardworking, dependable tools and wheelbarrows have been designed to move earth and materials on any jobsite.

ICONIC WHEELBARROWS

Preferred by professionals, these wheelbarrows are well recognized by their “Jackson Blue” color and the many features that make them the industry’s leading wheelbarrows.



A - 18 Gauge Steel Trays

B - Thick Hardwood Handles

C - 4 Bolt Leg Brace

D - 18 Gauge Steel Undercarriage

E - Cleated Leg Stabilizers*

F - 16 Gauge Steel Handles

G - Never Flat Tire - available in knobby and ribbed tread options

*Patented Feature

PONY SOLID SHANK SHOVEL FEATURES

Long handle tools have the features professional end-users demand.



ARMOR D-GRIP

Steel encases hardwood providing the strongest grip for demanding loads.


HARDWOOD HANDLES

Hardwood handles for strength and durability.

DOUBLE RIVETED SOCKET

Securely attaches blade to handle.

SOLID FORGED STEEL BLADE



PRO TOOL APPLICATIONS

- Digging
- Trenching
- Demolition
- Transferring
- Irrigation
- Masonry

WHEELBARROWS

ALL JACKSON WHEELBARROWS ARE EQUIPPED WITH PROFESSIONAL FEATURES:

18-Gauge Steel Undercarriage / 4 Bolt Leg Brace / Cross Braces / Patented Leg Stabilizers with High Traction Cleats



MODEL M6WT FEATURING A WIDER TIRE

- Greater Stability
- Large Load Capacity
- Fits all Jackson undercarriages, no new parts needed



**C****D****FOLDED TRAY FOR ADDED STRENGTH****E****F****HEAVY-DUTY THERMOFORMED POLY TRAY**
All Of The Benefits Of A Steel Tray Yet Lightweight.

Key	Item #	Tray Size	Tray Material	Wheel	Tread	Handle	UPC	Standard Pack		Pallet	
								Qty	WT (lbs.)	Qty	WT (lbs.)
A	M6T22	6 - ft ³	Heavy-Gauge Steel	16" Pneumatic	Ribbed 	60" Hardwood	027997010171	1	47.0	25	1265
	M6T22BB	6 - ft ³	Heavy-Gauge Steel	16" Pneumatic, Ball Bearings	Ribbed 	60" Hardwood	027997017729	1	56.5	25	1368
	M6T22KB	6 - ft ³	Heavy-Gauge Steel	16" Pneumatic, Ball Bearings	Knobby 	60" Hardwood	027997017736	1	59.1	25	1419
	M6WT	6 - ft ³	Heavy-Gauge Steel	Wide 16" Pneumatic	Knobby 	60" Hardwood	049206142084	1	56.8	14	860
B	M6FFBB	6 - ft ³	Heavy-Gauge Steel	15.5" Never Flat, Ball Bearings	Ribbed 	60" Hardwood	027997017972	1	59.0	25	1465
	M6FFKB	6 - ft ³	Heavy-Gauge Steel	15.5" Never Flat, Ball Bearings	Knobby 	60" Hardwood	049206018587	1	59.0	25	1443
C	M6SFFKB	6 - ft ³	Heavy-Gauge Steel	15.5" Never Flat, Ball Bearings	Knobby 	60" Steel 2"x2"	049206019355	1	56.8	25	1474
D	M11T22	6 - ft ³	Heavy-Gauge Folded Steel	16" Pneumatic	Ribbed 	60" Hardwood	027997010416	1	63.0	25	1457
	M11T22BB	6 - ft ³	Heavy-Gauge Folded Steel	16" Pneumatic, Ball Bearings	Ribbed 	60" Hardwood	027997017675	1	62.8	25	1463
	M11FFBB	6 - ft ³	Heavy-Gauge Folded Steel	16" Never Flat, Ball Bearings	Ribbed 	60" Hardwood	027997017989	1	65.0	25	1547
E	M5T22BB	5 - ft ³	Heavy-Gauge Steel	16" Pneumatic, Ball Bearings	Ribbed 	60" Hardwood	027997017699	1	45.3	25	1185
F	MP575T22BB	5.75 - ft ³	Heavy-Duty Thermoformed Poly	16" Pneumatic, Ball Bearings	Ribbed 	60" Hardwood	027997017750	1	45.3	25	1119
	MP575FFBB	5.75 - ft ³	Heavy-Duty Thermoformed Poly	16" Never Flat, Ball Bearings	Ribbed 	60" Hardwood	027997017996	1	47.4	25	1188
	MP57514	5.75 - ft ³	Heavy-Duty Thermoformed Poly	16" Pneumatic	Ribbed 	60" Hardwood	049206111332	1	45.5	14	562

**WHEELBARROW COMPONENTS,
REPLACEMENT PARTS,
MORTAR PANS & DISPLAYS**

A




B



C



D



E





Standard Pack

Key	Item #	Description	UPC	Qty	WT (lbs.)
A	001017RV	M6T22 Wheelbarrow Tray	049206151338	1	23.9
	00107200	M6FFBB Wheelbarrow Tray	049206040212	1	21.6
	00109800	M6SFFKB Wheelbarrow Tray	049206019355	1	23.9
B	00995700	MP575T22BB Wheelbarrow Tray	027997009953	1	11.0
C	00221100U	M-Series Wheelbarrow Wood Handle Pair (2 Handles)	027997008178	1	12.5
D	002212VB	M6SFFKB Steel Handle Pair (2 Handles), Gray	049206645936	1	16.3
E	00068100	M6T22 Wheelbarrow Parts Box	027997006815	1	18.9
	00063000	M6FFBB Wheelbarrow Parts Box	027997018009	1	21.5
	00066500	M6SFFKB Wheelbarrow Parts Box	049206066502	1	20.9
	00068400	MP575T22BB Wheelbarrow Parts Box	027997006846	1	21.5
F	T22KBCC	16" Tubed Wheel and Tire Assembly, 6" Hub, Knobby Tread with Ball Bearing Hub	027997016661	3	24.0
	FFTKBCC	16" Never Flat Wheel and Tire Assembly, 6" Hub, Knobby Tread with Ball Bearing Hub	049206018457	3	38.0
	FFTCC	16" Never Flat Wheel and Tire Assembly, 6" Hub, Ribbed Tread with Ball Bearing Hub	027997017910	3	24.9
	SFFTCC	16" Never Flat Wheel and Tire Assembly, Sport Tire, 6" Hub, Knobby Tread	049206036833	3	31.5
	WTCC	16" Tubed Wide Wheel and Tire Assembly, 6" Hub, Knobby Tread	049206149427	2	21.0
G	IT8CC	16" Inner Tube for Tire	027997008529	6	4.0
H	TWKT	Two-Wheel Conversion Kit, Includes: 16" Knobby Tire, Dual Wheel Axle, Hardware, Axle Brackets, and Instructions	027997008185	1	10.0
I	1MP	Steel Mortar Pan, 3 ft ² , (29.5" x 29.5" x 8"), Fits on 18MPS	027997671006	1	11.5
J	18MPS	Steel Mortar Pan Stand, (30" x 18" x 21")	027997670009	1	7.8
K	2246000	Wheelbarrow Display Rack, Holds 3 Wheelbarrows (Wheelbarrows Sold Separately)	049206224605	1	29.0
L	JACWHLSIGN	Jackson Wheelbarrow Sign Fixture for Item 2246000	049206644359	1	3.0

SOLID SHANK SHOVELS & SPADES

PONY®

LIMITED LIFETIME WARRANTY



					Standard Pack	
Key	Item #	Description	UPC	Qty	WT (lbs.)	
A	1201900	J-450 Pony®, Round Point, Forward-Turned Step, Solid Shank, #2, (8.75" x 11.5"), 47" Hardwood Handle	049206120198	6	31.5	
	1201700	J-450 Pony®, Round Point, No-Step, Solid Shank, #2, (8.75" x 11.5"), 47" Hardwood Handle	049206120174	6	29.5	
B	1201500	J-450 Pony®, Round Point, Forward-Turned Step, Solid Shank, #2, (8.75" x 11.5"), 27" Hardwood Handle with Armor D-Grip	049206120150	6	29.5	
	1201300	J-450 Pony®, Round Point, No-Step, Solid Shank, #2, (8.75" x 11.5"), 27" Hardwood Handle with Armor D-Grip	049206120136	6	32.0	
C	1258200	J-450 Pony®, Irrigation Shovel, Deep Bowl, Solid Shank, #00, (4" lift, 7" x 9.5"), 47" Hardwood Handle	049206125827	6	27.3	
	1259100	J-450 Pony®, Irrigation Shovel, Deep Bowl, Solid Shank, #1, (4" lift, 8.25" x 11.25"), 47" Hardwood Handle	049206125919	6	29.0	
D	1272800	J-450 Pony®, Caprock Shovel, Semi-Flat Bowl, Solid Shank, #2, (2.5" lift, 8.875" x 10"), 47" Hardwood Handle	049206127289	6	30.0	
E	1237500	J-450 Pony®, Forest Fire Shovel, Forward-Turned Step, Solid Shank, #2, (6.75" lift, 8.75" x 11"), 41" Contoured Hardwood Handle	049206123755	6	24.5	
F	1250300	J-450 Pony®, Square Point, Forward-Turned Step, Solid Shank, #2, (9.75" x 12"), 47" Hardwood Handle	049206125032	3	16.3	
	1201100	J-450 Pony®, Square Point, No-Step, Solid Shank, #2, (9.75" x 12"), 47" Hardwood Handle	049206120112	3	15.8	



						Standard Pack
Key	Item #	Description	UPC	Qty	WT (lbs.)	
G	1248800	J-450 Pony®, Square Point, Forward-Turned Step, Solid Shank, #2, (9.75" x 12"), 27" Hardwood Handle with Armor D-Grip	049206124882	6	31.0	
	1200900	J-450 Pony®, Square Point, No-Step, Solid Shank, #2, (9.75" x 12"), 27" Hardwood Handle with Armor D-Grip	049206120099	6	33.5	
H	1232000	J-450 Pony®, Track Shovel, Forward-Turned Step, Solid Shank, #2, (9.5" x 12"), 27" Hardwood Handle with Armor D-Grip	049206123205	3	17.3	
I	1227600	J-450 Pony®, Moulder/Asphalt, Solid Shank, #2, (9.75" x 11.75"), 27" Hardwood Handle with Armor D-Grip	049206122765	6	30.6	
J	1233200	J-450 Pony®, 16" Drain Spade, Solid Shank, (5.5" x 16"), 47" Hardwood Handle	049206123328	6	33.0	
K	1230700	J-450 Pony®, 14" Drain Spade, Forward-Turned Step, Solid Shank, (5.5" x 14"), 27" Hardwood Handle with Armor D-Grip	049206123076	6	30.0	
	1231100	J-450 Pony®, 16" Drain Spade, Forward-Turned Step, Solid Shank, (5.5" x 16"), 27" Hardwood Handle with Armor D-Grip	049206123113	6	28.5	
L	1230200	J-450 Pony®, Garden Spade, Forward-Turned Step, Solid Shank, (7.5" x 12"), 27" Hardwood Handle with Armor D-Grip	049206123021	3	15.6	
M	1234000	J-450 Pony®, Ditch/Post Spade, 16" Head, Forward-Turned Step, Solid Shank, (6.25" x 16"), 27" Hardwood Handle with Armor D-Grip	049206123403	3	15.6	

HOSES & HOSE REEL

A



B



C



D



E



Standard Pack

Key	Item #	Description	Length	Diameter	UPC	Qty	WT (lbs.)
A	2517200	Industrial Grade Hose Wagon, Basket Swivels 270°, Steel Construction, Tubed Pneumatic Tires. Leader Hose Included, Holds 50-400' of 5/8" Hose, 7-Year Limited Warranty	—	—	049206251724	1	45.0
B	4008100A	Site Safe® Hi Vis Medium-Duty Hose, Crush-Resistant Brass Couplings, Protective Collar Reduces Kinks at Faucet, Limited 7-Year Warranty	50'	5/8"	049206400818	4	23.2
	4008200A	Site Safe® Hi Vis Medium-Duty Hose, Crush-Resistant Brass Couplings, Protective Collar Reduces Kinks at Faucet, Limited 7-Year Warranty	100'	5/8"	049206400825	2	23.1
C	4003600	Pro-Flow™ Reinforced PVC Hose, Continuous-Flow Tube Keeps Water Flowing Even If Kinked, Anti-Bacterial Lining Prevents Deterioration and Extends Hose Life, Metal Spring Collar Prevents Kinking At Faucet. Octagonal, Heavy-Duty Crushproof Brass Couplings, Limited Lifetime Warranty	50'	5/8"	049206400368	4	31.0
	4003800	Pro-Flow™ Reinforced PVC Hose, Continuous-Flow Tube Keeps Water Flowing Even If Kinked, Anti-Bacterial Lining Prevents Deterioration and Extends Hose Life, Metal Spring Collar Prevents Kinking At Faucet. Octagonal, Heavy-Duty Crushproof Brass Couplings, Limited Lifetime Warranty	100'	5/8"	049206400382	2	31.0
	4003900	Pro-Flow™ Reinforced PVC Hose, Continuous-Flow Tube Keeps Water Flowing Even If Kinked, Anti-Bacterial Lining Prevents Deterioration and Extends Hose Life, Metal Spring Collar Prevents Kinking At Faucet. Octagonal, Heavy-Duty Crushproof Brass Couplings, Limited Lifetime Warranty	50'	3/4"	049206400399	4	36.4
	4004100	Pro-Flow™ Reinforced PVC Hose, Continuous-Flow Tube Keeps Water Flowing Even If Kinked, Anti-Bacterial Lining Prevents Deterioration and Extends Hose Life, Metal Spring Collar Prevents Kinking At Faucet. Octagonal, Heavy-Duty Crushproof Brass Couplings, Limited Lifetime Warranty	100'	3/4"	049206400412	2	44.0
D	4008600A	Hot Water Heavy-Duty Hose, Maximum Operating Temperature and Pressure: 160° F at 100 psi. Octagonal, Heavy-Duty Crushproof Brass Couplings, Limited Lifetime Warranty	50'	5/8"	049206400863	4	48.5
	4008900A	Hot Water Heavy-Duty Hose, Maximum Operating Temperature and Pressure: 160° F at 100 psi. Octagonal, Heavy-Duty Crushproof Brass Couplings, Limited Lifetime Warranty	50'	3/4"	049206400894	3	46.7
	4009100A	Hot Water Heavy-Duty Hose, Maximum Operating Temperature and Pressure: 160° F at 100 psi. Octagonal, Heavy-Duty Crushproof Brass Couplings, Limited Lifetime Warranty	100'	3/4"	049206400917	1	32.5
E	4008300A	Commercial Duty Rubber Hose With EPDM, Special Synthetic Rubber Blend Optimized For Water Applications, Maximum Operating Temperature and Pressure: 140° F at 100 psi. Octagonal, Heavy-Duty Crushproof Brass Couplings, Limited Lifetime Warranty	50'	5/8"	049206400832	4	43.0
	4008500A	Commercial Duty Rubber Hose With EPDM, Special Synthetic Rubber Blend Optimized For Water Applications, Maximum Operating Temperature and Pressure: 140° F at 100 psi. Octagonal, Heavy-Duty Crushproof Brass Couplings, Limited Lifetime Warranty	100'	5/8"	049206400856	2	43.0

INDEX

00063000	6
00066500	6
00068100	6
00068400	6
00107200	6
00109800	6
00995700	6
1200900	9
1201100	8
1201300	8
1201500	8
1201700	8
1201900	8
1227600	9
1230200	9
1230700	9
1231100	9
1232000	9
1233200	9
1234000	9
1237500	8
1248800	9

1250300	8
1258200	8
1259100	8
1272800	8
2246000	7
2517200	10
4003600	10
4003800	10
4003900	10
4004100	10
001017RV	6
00221100U	6
002212VB	6
18MPS	7
1MP	7
4008100A	10
4008200A	10
4008300A	10
4008500A	10
4008600A	10
4008900A	10
4009100A	10

FFTCC	7
FFTKBCC	7
IT8CC	7
JACWHLSIGN	7
M11FFBB	5
M11T22	5
M11T22BB	5
M5T22BB	5
M6FFBB	4
M6FFKB	4
M6SFFKB	5
M6T22	4
M6T22BB	4
M6T22KB	4
M6WT	4
MP57514	5
MP575FFBB	5
MP575T22BB	5
SFFTCC	7
T22KBCC	7
TWKT	7
WTCC	7

DEPEND ON IT



Jackson 
PROFESSIONAL TOOLS

13485 Veterans Way | Orlando, FL 32827 | 1.800.874.0008 | jacksonprofessional.com

© The AMES Companies, Inc.

CRF0002929